Serial No. 16200008E

PRODUCT NAME

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: EMALEX 1620

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji–Minami Suginami–Ku Tokyo 166–0003 Japan : (81)3–3314–3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	[:] For use other than recommended purposes, please consult a professional.
SERIAL No.	: 16200008E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Classification not possible
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. 16200008E

LONG-TERM (CHRONIC) HAZARDOUS TO THE AQUATIC ENVIRONMENT		: Classification not possible	
HAZARDS TO THE OZONE LAYER		: Classif	ication not possible
LABEL ELEMENTS:			
PICTORIAL REPRESENTATIONS	: Not applicable		
SIGNAL WORD	: Not applicable		
HAZARD STATEMENTS	: Not applicable		
PRECAUTIONARY STATEMENTS			
PREVENTIO	N : Wash thoroughly aft	er handling.(P2	264)
RESPONS		ll a POISON CE	ENTER/ doctor/ If you feel unwell.
	(P301+P312) IF ON SKIN: Wash w	ith planty wata	r (D302+D352)
			vater for several minutes. Remove
			to do. Continue rinsing.
STORAG	E : Store in a closed co	ntainer. (P404))
DISPOSA	L : Dispose of contents	/container acco	ording to the rule of
PRECAUTIONS FOR US			nd districts/cities and towns. (P501)
3. COMPOSITION / INFORMATION ON INGR		-	
SUBSTANCE/MIXTURE	:Substance		
INGREDIENTS AND CONTENTS	.000000000		
NO. COMPONENT		Wt%	CAS
1 Polyoxyethylene 2-Hexyldecyl Ethe	r	100	69364-63-2
. FIRST-AID MEASURES			
IF INHALED	: Remove to fresh air	and keep comf	ortable for breathing.
IF ON SKIN	: Wash with plenty wa	-	5
IF IN EYES		h water for sev	eral minutes. Remove contact lenses rinsing.
IF SWALLOWED	: Call a POISON CEN		
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glo sealed goggles.	ves should be v	worn protective equipment, such as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.		
5. FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam	chemical, Carb	on dioxide, sand, Spray water.
	: Rod-like water.	,	, , , , , , , , , , , , , , , , , , ,
SPECIFIC FIRE-FIGHTING HAZARDS			toxic gas such as carbon monoxide. hale the smoke.
SPECIFIC METHODS OF FIRE-FIGHTING	: Eliminate the source extinguishing agent fire from upwind. No watering the surrou measures should be to rivers or sewage.	e of combustion appropriate. As n-official is to l nding facilities. I taken as chem Appropriate me	a, extinguish a fire using the fire much as possible to do extinguish th be saved in a secure location. Cool by Drainage for fire-fighting, appropriate icals and substance does not flow ou assures should be taken as chemicals privers or sewage in drainage for fire
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fir masks, etc.) to wear		rotective equipment (gloves, glasses,
. ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		naterial, safely r	lasses) protective equipment. If large retract the human. To ensure
ENVIRONMENTAL PRECAUTIONS	: Do not wash away ir	nto rivers and d	irect sewage spilled material.

Serial No. 1620008E

Serial No. 16200008E	Neviseu Aug 14, 2024
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the or a secure location.
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.
7. HANDLING AND STORAGE	
HANDLING:	
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.
STORAGE:	
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.
SAFETY PAKAGING MATERIAL	: Follow a product use container.
8. EXPOSURE CONTROLS/PERSONAL PRO	TECTION
PERMISSION VALUE:	
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.
ACGIH	: Not authorized.
CONTROL VALUE	: Not authorized.
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.
PROTECTIVE EQUIPMENT:	
RESPIRATORY PROTECTION	: In normal handling is not required.
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses $\)$
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.
APPROPRIATE HYGIENE MEASURES	: No information.
9. PHYSICAL AND CHEMICAL PROPERTIES:	
PHYSICAL STATE	: Wax
COLOR	: White to pale yellow
ODOR	: Characteristic odor
MELTING POINT/SOLIDIFING POINT	:42°C(Melting point) 36°C (Solidifying point)
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.
FLAMMABILITY	: No data.
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.
FLASH POINT	: 241°C (Cleveland open-cup method)
AUTO-IGNITION TEMPERATURE	: No data.
DECOMPOSITION TEMPERATURE	: No data.
	: About 6 (25°C, 1% Aq. Soln.)
KINEMATIC VISCOSITY	: No data.
SOLUBILITY: WATER SOLUBILITY	: Soluble

Serial No. 16200008E

	: No data.
PARTITION COEFFICIENT N-OCTANOL/WATER	
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: No data.
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	3 : No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified. (VAPOR)
	No information. Classification not possible.
	(DUST, MIST)
	No information. Classification not possible.
SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible. : No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.
	: This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial.

13. DISPOSAL CONSIDERATIONS

Serial No. 16200008E

. TRANSPORT INFORMATION UN NUMBER PROPER SHIPPING NAME CLASS PACKING GROUP MARINE POLLUTANT IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES EMERGENCY FIRST AID GUIDELINE NUMBER	 Entrusted to specialized industrial waste disposal company has the permission of the prefectural governor. If the combustion process is performed, during combustion, s carbon monoxide occurs because, in small portions to be dispincineration. When disposing of empty containers and dispose after complete of the contents. If possible, it is desirable to recycle empty containers / packateria. Not applicable. Not applicable. Not applicable. IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. See: "Accidental Release Measures of treatment when leakaters. See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container to ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	such as sposed of by elete remova kaging. age [‴] . ner.		
UN NUMBER PROPER SHIPPING NAME CLASS PACKING GROUP MARINE POLLUTANT IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES	 Not applicable. Not applicable. Not applicable. Not applicable. IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the contained To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	ner.		
PROPER SHIPPING NAME CLASS PACKING GROUP MARINE POLLUTANT IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES	 Not applicable. Not applicable. Not applicable. Not applicable. IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the contained To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	ner.		
PROPER SHIPPING NAME CLASS PACKING GROUP MARINE POLLUTANT IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES	 Not applicable. Not applicable. Not applicable. Not applicable. IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the contained To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	ner.		
CLASS PACKING GROUP MARINE POLLUTANT IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES EMERGENCY FIRST AID GUIDELINE	 Not applicable. Not applicable. Not applicable. IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	ner.		
PACKING GROUP MARINE POLLUTANT IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES EMERGENCY FIRST AID GUIDELINE	 Not applicable. Not applicable. IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	ner.		
MARINE POLLUTANT IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES EMERGENCY FIRST AID GUIDELINE	 Not applicable. IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	ner.		
IBC CODE and ANNEX II MARPOL73/78 SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES EMERGENCY FIRST AID GUIDELINE	 : IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates. : See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. : Not applicable. 	ner.		
SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES EMERGENCY FIRST AID GUIDELINE	 See: "Accidental Release Measures of treatment when leakage See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 	ner.		
EMERGENCY FIRST AID GUIDELINE	 Make sure that there is no damage or leakage of the containe To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do package and transportation. Not applicable. 			
	· Comply with the rules of IATA air transport and IMDG sea tra			
INTERNATIONAL REGULATIONS	: Comply with the rules of IATA air transport and IMDG sea transport.			
LOCAL REGULATIONS	 Land transportation: According to the method of transportation established Fire Service Act, the Occupational Safety and He etc Maritime transport: According to the method of transportation specified in the Ship Safety Law. Air transport: According to the method of transportation have established in the Aviation Law. 	lealth Act, on is		
. REGULATORY INFORMATION				
CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)	: Not applicable.			
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW	: Not applicable.			
REGISTRATION INFORMATION:				
№. ENCS TSCA EINECS (Japan) (USA) (EU)		ECSC China)		
1 7–97 Non Polymer	Listed Listed KE-05-1075 Non Lis	isted		
OTHER INFORMATION:				
REFERENCE: MANUFACTURER'S NAME	: NIHON EMULSION CO., LTD.			
ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211 : (81)3-3312-7207			
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp			
EMERGENCY CONTACT	: (81)3-3314-3211			
FERENCE				
	7253 : 2019 Hazard communication of chemicals based on GHS	3		

Serial No. 1620008E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.