Serial No. 16250006E

PRODUCT NAME

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: EMALEX 1625

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji–Minami Suginami–Ku Tokyo 166–0003 Japan : (81)3–3314–3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	[:] For use other than recommended purposes, please consult a professional.
SERIAL No.	: 16250006E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Classification not possible
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. 16250006E

LONG-TERM (CHRONIC) HAZARDOUS	TO THE AQUATIC	: Classi	fication not possible
HAZARDS TO THE OZONE LAYER		: Classi	fication not possible
LABEL ELEMENTS: PICTORIAL REPRESENTATIONS SIGNAL WORD HAZARD STATEMENTS	: Not applicable : Not applicable : Not applicable		
PRECAUTIONARY STATEMENTS			
	N : Wash thoroughly after	handling (P	264)
	E : IF SWALLOWED: Call (P301+P312) IF ON SKIN: Wash wit IF IN EYES: Rinse cau	a POISON C h plenty wate itiously with v	ENTER/ doctor/ If you feel unwell.
STORAG	E : Store in a closed con	tainer.(P404)
	L : Dispose of contents/ international/country, E : Please refer to Safety	/metropolis a	nd districts/cities and towns. (P501)
3. COMPOSITION / INFORMATION ON INGR	EDIENTS		
SUBSTANCE/MIXTURE INGREDIENTS AND CONTENTS	:Substance		
№. COMPONENT		Wt%	CAS
1 Polyoxyethylene 2-Hexyldecyl Ethe	r	100	69364-63-2
4. FIRST-AID MEASURES			
IF INHALED	: Remove to fresh air a	nd keep com	fortable for breathing.
IF ON SKIN	: Wash with plenty wat	er.	
IF IN EYES	: Rinse cautiously with if present and easy to		veral minutes. Remove contact lenses, e rinsing.
IF SWALLOWED	: Call a POISON CENT	ER doctor. If	you feel unwell.
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glov sealed goggles.	es should be	worn protective equipment, such as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.		
5. FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam c	hemical, Cart	oon dioxide, sand, Spray water.
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.		
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion ga Extinguish the fire ca		toxic gas such as carbon monoxide. hale the smoke.
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent ap fire from upwind. Non watering the surround measures should be t to rivers or sewage. A	opropriate. As -official is to ling facilities. aken as chen oppropriate m	n, extinguish a fire using the fire s much as possible to do extinguish the be saved in a secure location. Cool by Drainage for fire-fighting, appropriate nicals and substance does not flow out easures should be taken as chemicals o rivers or sewage in drainage for fire
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fire masks, etc.) to wear.	appropriate (protective equipment (gloves, glasses,
6. ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		terial, safely	glasses) protective equipment. If large retract the human. To ensure
ENVIRONMENTAL PRECAUTIONS	: Do not wash away int	o rivers and o	direct sewage spilled material.

Serial No. 16250006E

Serial No. 16250006E	Neviseu Aug 14, 2024				
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the o a secure location.				
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	 Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark. 				
7. HANDLING AND STORAGE					
HANDLING:					
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.				
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.				
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.				
STORAGE:					
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.				
SAFETY PAKAGING MATERIAL	: Follow a product use container.				
8. EXPOSURE CONTROLS/PERSONAL PRO	TECTION				
PERMISSION VALUE:					
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.				
ACGIH	: Not authorized.				
CONTROL VALUE	: Not authorized.				
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.				
PROTECTIVE EQUIPMENT:					
RESPIRATORY PROTECTION	: In normal handling is not required.				
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.				
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses $\)$				
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.				
APPROPRIATE HYGIENE MEASURES	: No information.				
9. PHYSICAL AND CHEMICAL PROPERTIES					
PHYSICAL STATE	: Wax				
COLOR	: White to pale vellow				
ODOR	: Characteristic odor				
MELTING POINT/SOLIDIFING POINT	:39°C (Solidifying point)				
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.				
FLAMMABILITY	: No data.				
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.				
FLASH POINT	: 244°C (Cleveland open-cup method)				
AUTO-IGNITION TEMPERATURE	: No data.				
DECOMPOSITION TEMPERATURE	: No data.				
pH	: About 6 (25°C, 1% Aq. Soln.)				
	: No data.				
SOLUBILITY: WATER SOLUBILITY SOLUBILITY: SOLVENT SOLUBILITY	: Soluble : Dissolve in ethanol.				

Serial No. 16250006E

PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: No data.
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
10. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
11. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified. (VAPOR)
	No information. Classification not possible.
	(DUST, MIST) No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY,	: No information. Classification not possible.
SINGLE EXPOSURE	
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
12. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.
	: This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial.

13. DISPOSAL CONSIDERATIONS

16250006E

Serial No.

Serial No.	1625000	0E							-	
					: See the chapter "Precautions for Handling and storage".					
					the permiss If the comb carbon mon incineration When dispo of the conto	ion of the pre ustion proces oxide occurs sing of empty ents.	industrial waste fectural governo s is performed, o because, in sma containers and to recycle empt	or. during combustic Il portions to be dispose after co	on, such as disposed of by omplete removal	
14. TRANS		RMATION								
UN NI	JMBER			:	Not applical	ble.				
PROP	ER SHIPPIN	G NAME		:	Not applical	ble.				
CLAS	S			:	Not applical	ble.				
PACK	ING GROUP			:	Not applical	ble.				
MARIN	NE POLLUTA	NT		:	Not applical	ble.				
IBC C	ODE and AN	NEX II MA	RPOL73/78	:	IBC Code: /	Alcohol(C12-C	C16)poly(20+)eth	ioxylates.		
SPEC SAFE	IFIC CONDIT	TONS of TF	ANSPORT and	:	See: "Accio	lental Release	e Measures of tr	eatment when le	eakage″.	
					Make sure t To ensure t	hat there is n he prevention ce with applic	tions for Handlin to damage or lea to of collapse of t table laws and re	kage of the con he luggage.	tainer.	
EMER NUMB	GENCY FIRS BER	t aid guie	DELINE	: Not applicable.						
INTERNATIONAL REGULATIONS				: Comply with the rules of IATA air transport and IMDG sea transport.						
LOCAL REGULATIONS				 Land transportation: According to the method of transportation has been established Fire Service Act, the Occupational Safety and Health Act, etc Maritime transport: According to the method of transportation is specified in the Ship Safety Law. Air transport: According to the method of transportation have been established in the Aviation Law. 						
15. REGUL	ATORY INF	ORMATIO	N							
(THE :	IICAL SUBST SPECIFIED C IICALS)		NTROL LAW MONITOR	: N	lot applicab	le.				
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW			: N	: Not applicable.						
REGISTI	RATION INFO	ORMATION:								
No.	ENCS (Japan)	TSCA (USA)	EINECS (EU)	(AICS Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)	
1	7–97	Non	Polymer		Listed	Listed	KE-05-1075	Non	Listed	
16.OTHER II	NFORMATIO	N:								
REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS				: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211 : (81)3-3312-7207						
E-MAIL ADDRESS EMERGENCY CONTACT				: trade@nihon-emulsion.co.jp : (81)3-3314-3211						

REFERENCE

Japanese Industrial Standards JIS Z 7253 : 2019 Hazard communication of chemicals based on GHS --Labelling and Safety Data Sheet (SDS)

Serial No. 16250006E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.