

Serial No. 18100005E

## SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : EMALEX 1810

COMPANY NAME, ADDRESS, PHONE NUMBER : NIHON EMULSION CO., LTD.  
: 5-32-7 Koenji-Minami Sugunami-Ku Tokyo 166-0003 Japan  
: (81)3-3314-3211

FAX NUMBER : (81)3-3312-7207

E-MAIL ADDRESS : trade@nihon-emulsion.co.jp

RECOMMENDED USE OF PRODUCT : Cosmetic material and Surfactant

LIMITATION : For use other than recommended purposes, please consult a professional.

SERIAL No. : 18100005E

## 2. HAZARDS IDENTIFICATION

## GHS CLASSIFICATION OF THE SUBSTANCE:

## PHYSICAL HAZARDS:

EXPLOSIVES : Not classified

FLAMMABLE GASES : Not classified

AEROSOLS : Not classified

OXIDIZING GASES : Not classified

GASES UNDER PRESSURE : Not classified

FLAMMABLE LIQUIDS : Not classified

FLAMMABLE SOLIDS : Classification not possible

SELF-REACTIVE SUBSTANCES AND MIXTURES : Not classified

PYROPHORIC LIQUIDS : Not classified

PYROPHORIC SOLIDS : Not classified

SELF-HEATING SUBSTANCES AND MIXTURES : Not classified

SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES : Not classified

OXIDIZING LIQUIDS : Not classified

OXIDIZING SOLIDS : Not classified

ORGANIC PEROXIDES : Not classified

CORROSIVE TO METALS : Classification not possible

DESENSITIZED EXPLOSIVES : Not classified

## HEALTH HAZARDS:

ACUTE TOXICITY (Oral) : Classification not possible

ACUTE TOXICITY (Dermal) : Classification not possible

ACUTE TOXICITY (Inhalation, Gas) : Not classified

ACUTE TOXICITY (Inhalation, Vapour) : Classification not possible

ACUTE TOXICITY (Inhalation, Dust, Mist) : Classification not possible

SKIN CORROSION/IRRITATION : Classification not possible

SERIOUS EYE DAMAGE/EYE IRRITATION : Classification not possible

RESPIRATORY SENSITIZATION : Classification not possible

SKIN SENSITIZATIONS : Classification not possible

GERM CELL MUTAGENICITY : Classification not possible

CARCINOGENICITY : Classification not possible

REPRODUCTIVE TOXICITY : Classification not possible

SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE : Classification not possible

SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE : Classification not possible

ASPIRATION HAZARD : Classification not possible

## ENVIRONMENTAL HAZARDS:

SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT : Classification not possible

# EMALEX 1810

NIHON EMULSION CO., LTD. P 2/6

Issued Jan 27, 2012

Revised Aug 14, 2024

Serial No. 18100005E

---

LONG-TERM (CHRONIC) HAZARDOUS TO THE AQUATIC ENVIRONMENT : Classification not possible  
HAZARDS TO THE OZONE LAYER : Classification not possible

## LABEL ELEMENTS:

PICTORIAL REPRESENTATIONS : Not applicable  
SIGNAL WORD : Not applicable  
HAZARD STATEMENTS : Not applicable

## PRECAUTIONARY STATEMENTS

PREVENTION : Wash thoroughly after handling. (P264)  
RESPONSE : IF SWALLOWED: Call a POISON CENTER/ doctor/ If you feel unwell. (P301+P312)  
IF ON SKIN: Wash with plenty water. (P302+P352)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)  
STORAGE : Store in a closed container. (P404)  
DISPOSAL : Dispose of contents/container according to the rule of international/country/metropolis and districts/cities and towns. (P501)  
PRECAUTIONS FOR USE : Please refer to Safety Data Sheet.

---

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE : Substance  
INGREDIENTS AND CONTENTS

| No. COMPONENT                      | Wt% | CAS        |
|------------------------------------|-----|------------|
| 1 Polyoxyethylene Isostearyl Ether | 100 | 52292-17-8 |

---

## 4. FIRST-AID MEASURES

IF INHALED : Remove to fresh air and keep comfortable for breathing.  
IF ON SKIN : Wash with plenty water.  
IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF SWALLOWED : Call a POISON CENTER doctor. If you feel unwell.  
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES : Rescuers rubber gloves should be worn protective equipment, such as sealed goggles.  
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR : No information.

---

## 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : Dry chemical, Foam chemical, Carbon dioxide, sand, Spray water.  
UNSUITABLE EXTINGUISHING MEDIA : Rod-like water.  
SPECIFIC FIRE-FIGHTING HAZARDS : To the combustion gas, contains a toxic gas such as carbon monoxide. Extinguish the fire careful not to inhale the smoke.  
SPECIFIC METHODS OF FIRE-FIGHTING : Eliminate the source of combustion, extinguish a fire using the fire extinguishing agent appropriate. As much as possible to do extinguish the fire from upwind. Non-official is to be saved in a secure location. Cool by watering the surrounding facilities. Drainage for fire-fighting, appropriate measures should be taken as chemicals and substance does not flow out to rivers or sewage. Appropriate measures should be taken as chemicals and substance does not flow out to rivers or sewage in drainage for fire fighting.  
PROTECTIVE FOR FIRE-FIGHTERS : To extinguish the fire appropriate protective equipment (gloves, glasses, masks, etc.) to wear.

---

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES : The work should be worn (gloves, glasses) protective equipment. If large amounts of spilled material, safely retract the human. To ensure ventilation as needed.  
ENVIRONMENTAL PRECAUTIONS : Do not wash away into rivers and direct sewage spilled material.

---

# EMALEX 1810

NIHON EMULSION CO., LTD. P 3/6

Issued Jan 27, 2012

Revised Aug 14, 2024

Serial No. 18100005E

---

## METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the or a secure location.

## PREVENTIVE MEASURES FOR SECONDARY ACCIDENT

: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant.  
When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material.  
Use the safe tool which does not generate a spark.

---

## 7. HANDLING AND STORAGE

### HANDLING:

#### RECOMMENDED HANDLING

: Heat, melt and uniform before use. Keep away from overheating.

#### TECHNICAL MEASURES

: Close to the handling area, set up facilities for eyewash and body wash.

#### PRECAUTION FOR SAFE HANDLING

: Flammable – Keep Fire Away  
Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.

### STORAGE:

#### CONDITIONS FOR SAFE STORAGE

: In well-ventilated indoors tightly closed container. Away from flame.

#### SAFETY PAKAGING MATERIAL

: Follow a product use container.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### PERMISSION VALUE:

#### JAPAN SOCIETY FOR OCCUPATIONAL HEALTH

: Not authorized.

#### ACGIH

: Not authorized.

### CONTROL VALUE

: Not authorized.

### ENGINEERING MEASURES

: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.

### PROTECTIVE EQUIPMENT:

#### RESPIRATORY PROTECTION

: In normal handling is not required.

#### HAND PROTECTION

: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.

#### EYES/FACE PROTECTION

: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses )

#### SKIN/BODY PROTECTION

: Long-sleeved work clothes antistatic.

#### APPROPRIATE HYGIENE MEASURES

: No information.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

### PHYSICAL STATE

: Liquid or wax

### COLOR

: Colorless to pale yellow or white

### ODOR

: Slightly characteristic odor

### MELTING POINT/SOLIDIFYING POINT

: No data.

### BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE

: No data.

### FLAMMABILITY

: No data.

### LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT

: No data.

### FLASH POINT

: 236°C (Cleveland open-cup method)

### AUTO-IGNITION TEMPERATURE

: No data.

### DECOMPOSITION TEMPERATURE

: No data.

### pH

: About 6 (25°C, 1% Aq. Soln.)

### KINEMATIC VISCOSITY

: No data.

### SOLUBILITY: WATER SOLUBILITY

: Insoluble

### SOLUBILITY: SOLVENT SOLUBILITY

: Dissolve in ethanol.

---

# EMALEX 1810

NIHON EMULSION CO., LTD. P 4/6

Issued Jan 27, 2012

Revised Aug 14, 2024

Serial No. 18100005E

---

|  |            |
|--|------------|
| PARTITION COEFFICIENT<br>N-OCTANOL/WATER | : No data. |
| VAPOUR PRESSURE                          | : No data. |
| DENSITY AND/OR RELATIVE DENSITY          | : No data. |
| RELATIVE VAPOUR DENSITY                  | : No data. |
| PARTICLE CHARACTERISTICS                 | : No data. |
| OTHER DATA                               | : No data. |

---

## 10. STABILITY AND REACTIVITY

|                                    |   |
|------------------------------------|---|
| REACTIVITY                         | : Reactivity is low.                        |
| CHEMICAL STABILITY                 | : Conditions are stable at normal handling. |
| POSSIBILITY OF HAZARDOUS REACTIONS | : No information.                           |
| CONDITIONS TO AVOID                | : No information.                           |
| INCOMPATIBLE MATERIALS             | : No information.                           |
| HAZARDOUS DECOMPOSITION PRODUCTS   | : No information.                           |

---

## 11. TOXICOLOGICAL INFORMATION

|  |   |
|--|---|
| ACUTE TOXICITY                                       |   |
| ORAL   | : No information. Classification not possible.  |
| SKIN   | : No information. Classification not possible.  |
| INHALATION   | : (GAS)<br>Not classified.<br>(VAPOR)<br>No information. Classification not possible.<br>(DUST, MIST)<br>No information. Classification not possible. |
| SKIN CORROSION/IRRITATION                            | : No information. Classification not possible.  |
| SERIOUS EYE DAMAGE/EYE IRRITATION                    | : No information. Classification not possible.  |
| RESPIRATORY OR SKIN SENSITIZATION                    | : No information. Classification not possible.  |
| GERMCELL MUTAGENICITY                                | : No information. Classification not possible.  |
| CARCINOGENICITY                                      | : No information. Classification not possible.  |
| IARC   | : Unauthorized.   |
| NTP  | : Unauthorized.   |
| NIHON SANGYO HYGIENE SOCIETY                         | : Unauthorized.   |
| REPRODUCTIVE TOXICITY                                | : No information. Classification not possible.  |
| SPECIFIC TARGET ORGAN TOXICITY,<br>SINGLE EXPOSURE   | : No information. Classification not possible.  |
| SPECIFIC TARGET ORGAN TOXICITY,<br>REPEATED EXPOSURE | : No information. Classification not possible.  |
| ASPIRATION HAZARD                                    | : No information. Classification not possible.  |

---

## 12. ECOLOGICAL INFORMATION

|                               |   |
|-------------------------------|---|
| ECOTOXICITY                   | : No information.   |
| PERSISTENCE AND DEGRADABILITY | : No information.   |
| BIOACCUMULATIVE POTENTIAL     | : No information.   |
| MOBILITY IN SOIL              | : No information.   |
| HAZARD TO THE OZONE LAYER     | : No information.   |
| OTHER DATA                    | : No information.   |
|                               | : This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial. |

---

## 13. DISPOSAL CONSIDERATIONS

---

Serial No. 18100005E

: See the chapter "Precautions for Handling and storage".

Entrusted to specialized industrial waste disposal company has received the permission of the prefectural governor.

If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of by incineration.

When disposing of empty containers and dispose after complete removal of the contents.

If possible, it is desirable to recycle empty containers / packaging.

## 14. TRANSPORT INFORMATION

|  |  |
|--|--|
| UN NUMBER  | : Not applicable.  |
| PROPER SHIPPING NAME                                 | : Not applicable.  |
| CLASS  | : Not applicable.  |
| PACKING GROUP  | : Not applicable.  |
| MARINE POLLUTANT                                     | : Not applicable.  |
| IBC CODE and ANNEX II MARPOL73/78                    | : Not applicable.  |
| SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES | : See: "Accidental Release Measures of treatment when leakage".<br><br>See the chapter "Precautions for Handling and storage".<br>Make sure that there is no damage or leakage of the container.<br>To ensure the prevention of collapse of the luggage.<br>In accordance with applicable laws and regulations, do packaging, display and transportation.          |
| EMERGENCY FIRST AID GUIDELINE NUMBER                 | : Not applicable.  |
| INTERNATIONAL REGULATIONS                            | : Comply with the rules of IATA air transport and IMDG sea transport.  |
| LOCAL REGULATIONS                                    | : Land transportation: According to the method of transportation has been established Fire Service Act, the Occupational Safety and Health Act, etc..<br>Maritime transport: According to the method of transportation is specified in the Ship Safety Law.<br>Air transport: According to the method of transportation have been established in the Aviation Law. |

## 15. REGULATORY INFORMATION

CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS) : Japan CSCL: Priority Assessment Chemical Substances Number:250 [alpha-(Alkyl(C=16-18))-omega-hydroxypoly(oxyethane-1,2-diy)] or alpha-(alkenyl(C=16-18))-omega-hydroxypoly(oxyethane-1,2-diy)] (It is limited that the number-average molecular weight of the polymer is less than 1,000.)

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW : Not applicable.

## REGISTRATION INFORMATION:

| No. | ENCS<br>(Japan) | TSCA<br>(USA) | EINECS<br>(EU) | AICS<br>(Australia) | DSL<br>(Canada) | ECL<br>(Korea) | PICCS<br>(Philippines) | IECSC<br>(China) |
|-----|-----------------|---------------|----------------|---------------------|-----------------|----------------|------------------------|------------------|
| 1   | 7-97            | Listed        | Polymer        | Listed              | Listed          | 99-3-1256      | Listed                 | Listed           |

## 16. OTHER INFORMATION:

## REFERENCE:

|                          |   |
|--------------------------|---|
| MANUFACTURER'S NAME      | : NIHON EMULSION CO., LTD.                              |
| ADDRESS                  | : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan |
| DEPARTMENT IN CHARGE     | : SALES DEPARTMENT                                      |
| DEPARTMENT THAT PREPARED | : R&D DEPARTMENT  |
| PHONES NUMBERS           | : (81)3-3314-3211                                       |
| FAX NUMBERS              | : (81)3-3312-7207                                       |
| E-MAIL ADDRESS           | : trade@nihon-emulsion.co.jp                            |
| EMERGENCY CONTACT        | : (81)3-3314-3211                                       |

## REFERENCE

- \* Japanese Industrial Standards JIS Z 7253 : 2019 Hazard communication of chemicals based on GHS -- Labelling and Safety Data Sheet (SDS)

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry Association • RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.

---