Serial No. 24050005E

PRODUCT NAME

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: EMALEX 2405

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : (81)3-3314-3211				
FAX NUMBER	: (81)3-3312-7207				
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp				
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant				
LIMITATION	[:] For use other than recommended purposes, please consult a professional.				
SERIAL No.	: 24050005E				

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Not classified
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. 24050005E

LONG-TERM (CHRONIC) HAZARDOUS T ENVIRONMENT	: Classification not possible				
HAZARDS TO THE OZONE LAYER	: Classification not possible				
LABEL ELEMENTS:					
PICTORIAL REPRESENTATIONS	: Not applicable				
SIGNAL WORD	: Not applicable				
HAZARD STATEMENTS	: Not applicable				
PRECAUTIONARY STATEMENTS					
PREVENTION	I: Wash thoroughly after	handling. (P264)			
		a POISON CENTER/ doctor/ If you feel unwell.			
	IF ON SKIN: Wash with plenty water. (P302+P352) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)				
STORAGE	: Store in a closed conta	ainer. (P404)			
DISPOSAL		ontainer according to the rule of			
PRECAUTIONS FOR USE	•	metropolis and districts/cities and towns. (P501) Data Sheet.			
3. COMPOSITION / INFORMATION ON INGRE					
SUBSTANCE/MIXTURE	:Substance				
INGREDIENTS AND CONTENTS					
NO. COMPONENT		Wt% CAS			
1 Polyoxyethylene Decyltetradecyl Eth	ier	100			
(By-products Diethylene glycol <0.5					
4. FIRST-AID MEASURES					
IF INHALED	: Remove to fresh air ar	nd keep comfortable for breathing.			
IF ON SKIN	: Wash with plenty wate				
IF IN EYES	: Rinse cautiously with v if present and easy to	water for several minutes. Remove contact lenses, do. Continue rinsing.			
IF SWALLOWED	: Call a POISON CENTE	R doctor. If you feel unwell.			
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glove sealed goggles.	s should be worn protective equipment, such as			
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.				
5. FIRE-FIGHTING MEASURES					
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam ch	emical, Carbon dioxide, sand, Spray water.			
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.				
SPECIFIC FIRE-FIGHTING HAZARDS		s, contains a toxic gas such as carbon monoxide. eful not to inhale the smoke.			
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent app fire from upwind. Non- watering the surroundi measures should be ta to rivers or sewage. Ap	f combustion, extinguish a fire using the fire propriate. As much as possible to do extinguish the official is to be saved in a secure location. Cool by ng facilities. Drainage for fire-fighting, appropriate ken as chemicals and substance does not flow out opropriate measures should be taken as chemicals of flow out to rivers or sewage in drainage for fire			
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fire a masks, etc.) to wear.	appropriate protective equipment (gloves, glasses,			
6. ACCIDENTAL RELEASE MEASURES					
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY	amounts of spilled mat	orn (gloves, glasses) protective equipment. If large erial, safely retract the human. To ensure			
PROCEDURES	ventilation as needed.				

Serial No. 24050005E

Serial No. 24050005E	·				
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	 : If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the a secure location. : Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark. 				
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT					
7. HANDLING AND STORAGE					
HANDLING:					
RECOMMENDED HANDLING	: By a storage condition, the whole or part may solidify. At that time, heat melt and uniform before use. Keep away from overheating.				
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.				
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.				
STORAGE:					
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.				
SAFETY PAKAGING MATERIAL	: Follow a product use container.				
B. EXPOSURE CONTROLS/PERSONAL PROT	TECTION				
PERMISSION VALUE:					
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.				
ACGIH	: Not authorized.				
CONTROL VALUE	: Not authorized.				
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.				
PROTECTIVE EQUIPMENT:					
RESPIRATORY PROTECTION	: In normal handling is not required.				
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.				
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses $\)$				
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.				
APPROPRIATE HYGIENE MEASURES	: No information.				
. PHYSICAL AND CHEMICAL PROPERTIES:					
PHYSICAL STATE	: Liquid to petrolatum-like substance				
COLOR	: Colorless to pale yellowish white				
ODOR	: Slightly characteristic odor				
MELTING POINT/SOLIDIFING POINT	:No data.				
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.				
FLAMMABILITY	: No data.				
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.				
FLASH POINT	: 235°C(Cleveland open-cup method)				
AUTO-IGNITION TEMPERATURE	: No data.				
	: No data.				
	: No data.				
SULUBILITT: WATER SULUBILITY	. Insoluble				
ODOR MELTING POINT/SOLIDIFING POINT BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE FLAMMABILITY LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT FLASH POINT AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE	 Slightly characteristic odor No data. No data. No data. No data. 235°C (Cleveland open-cup method) No data. No data. No data. 				

Serial No. 24050005E

SOLUBILITY: SOLVENT SOLUBILITY	: Dissolve in ethanol.
PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: 0.92(30/20°C)
	: No data.
PARTICLE CHARACTERISTICS OTHER DATA	: No data. : No data.
	. No Gata.
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
	: No information.
CONDITIONS TO AVOID	: No information.
	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
11. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified. (VAPOR)
	No information. Classification not possible.
	(DUST, MIST) No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY,	: No information. Classification not possible.
SINGLE EXPOSURE	
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
12. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.

13. DISPOSAL CONSIDERATIONS

Serial No. 24050005E

			: See the cha	pter "Precaut	ions for Hand	lling and storage"	
			Entrusted to specialized industrial waste disposal company h the permission of the prefectural governor. If the combustion process is performed, during combustion, s carbon monoxide occurs because, in small portions to be dis incineration. When disposing of empty containers and dispose after comp of the contents. Incineration is done with care because contain flammable su If possible, it is desirable to recycle empty containers / pack				
4. TRANSPORT INFO	RMATION	l					
UN NUMBER			: Not applicat	le.			
PROPER SHIPPING	NAME		: Not applicat	le.			
CLASS			: Not applicat	le.			
PACKING GROUP			: Not applicat	le.			
MARINE POLLUTAN	ΝT		: Not applicat	le.			
IBC CODE and ANN			: Not applicat				
SPECIFIC CONDITI		ANSPORT and	See the cha	pter "Precaut	ions for Hand	lling and storage"	
			To ensure t	ne prevention ce with applica	of collapse of	eakage of the cor f the luggage. regulations, do pa	
EMERGENCY FIRST AID GUIDELINE NUMBER			: 171				
INTERNATIONAL REGULATIONS			: Comply with the rules of IATA air transport and IMDG sea transport.				
LOCAL REGULATIONS			 Land transportation: According to the method of transportation has be established Fire Service Act, the Occupational Safety and Health Act, etc Maritime transport: According to the method of transportation is specified in the Ship Safety Law. Air transport: According to the method of transportation have been established in the Aviation Law. 				
5. REGULATORY INFO	ORMATIC	N					
CHEMICAL SUBSTA (THE SPECIFIED CH CHEMICALS)			: Not applicabl	e.			
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW			: Not applicabl	e.			
REGISTRATION INFO	RMATION						
(Japan)	TSCA (USA)	EINECS (EU)	AICS (Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)
1 7–97	_	_	_	_	_		_
6.OTHER INFORMATION	:						
REFERENCE: MANUFACTURER'S					ח.		
ADDRESS			: NIHON EMULSION CO., LTD. : 5-32-7 Koenii–Minami Suginami–Ku Tokvo 166–0003 Japan			an	
DEPARTMENT IN CHARGE		: SALES DEPARTMENT : R&D DEPARTMENT					
			: (81)3-3314-3211				
			: (81)3-3312-7207				
			: trade@nihon-emulsion.cojp				
EMERGENCY CONTACT :			: (81)3-3314-3211				
REFERENCE							
						micals based on (

 Japanese Industrial Standards JIS Z 7253 : 2019 Hazard communication of chemicals based on GHS --Labelling and Safety Data Sheet (SDS)

Serial No. 24050005E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.