Serial No. 6080006E

PRODUCT NAME

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: EMALEX 608

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	[:] For use other than recommended purposes, please consult a professional.
SERIAL No.	: 6080006E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Classification not possible
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. 6080006E

LONG-TERM (CHRONIC) HAZARDOUS	TO THE AQUATIC		ification not possible	
HAZARDS TO THE OZONE LAYER		: Class	ification not possible	
LABEL ELEMENTS:				
PICTORIAL REPRESENTATIONS	: Not applicable			
SIGNAL WORD	: Not applicable			
HAZARD STATEMENTS	: Not applicable			
PRECAUTIONARY STATEMENTS				
PREVENTIO	N : Wash thoroughly after H	handling. (F	264)	
RESPONS	(P301+P312) IF ON SKIN: Wash with	plenty wate	ENTER/ doctor/ If you feel unwell er. (P302+P352) water for several minutes. Remove	
	contact lenses, if prese (P305+P351+P338)	ent and eas	y to do. Continue rinsing.	
STORAG	E : Store in a closed conta	iner. (P404	4)	
DISPOSA	L : Dispose of contents/co			
PRECAUTIONS FOR US	international/country/r E : Please refer to Safety	•	and districts/cities and towns.(P5 	01)
3. COMPOSITION / INFORMATION ON INGR	EDIENTS			
SUBSTANCE/MIXTURE	:Substance			
INGREDIENTS AND CONTENTS				
NO. COMPONENT		Wt%	CAS	
1 Polyoxyethylene Stearylether		100	9005-00-9	
4. FIRST-AID MEASURES				
IF INHALED	: Remove to fresh air an	d keep com	fortable for breathing.	
IF ON SKIN	: Wash with plenty water	r.		
IF IN EYES	: Rinse cautiously with w if present and easy to a		veral minutes. Remove contact ler e rinsing.	nses,
IF SWALLOWED	: Call a POISON CENTE	R doctor. If	you feel unwell.	
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber gloves sealed goggles.	s should be	worn protective equipment, such a	as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.			
5. FIRE-FIGHTING MEASURES				
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam ch	emical, Car	bon dioxide, sand, Spray water.	
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.			
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion gas Extinguish the fire care		n toxic gas such as carbon monoxion nhale the smoke.	de.
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent app fire from upwind. Non-o watering the surroundir measures should be tal to rivers or sewage. Ap	propriate. A official is to ng facilities. ken as cher propriate m	n, extinguish a fire using the fire s much as possible to do extinguis be saved in a secure location. Co Drainage for fire-fighting, appropr nicals and substance does not flow heasures should be taken as chemi to rivers or sewage in drainage for	ol by riate w out icals
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fire a masks, etc.) to wear.	appropriate	protective equipment (gloves, glas	ses,
6. ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	: The work should be wo amounts of spilled mate ventilation as needed.	orn (gloves, erial, safely	glasses) protective equipment. If la retract the human. To ensure	arge
ENVIRONMENTAL PRECAUTIONS	: Do not wash away into	rivers and	direct sewage spilled material.	

Serial No. 6080006E

Serial No. 6080006E	
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the o a secure location.
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.
7. HANDLING AND STORAGE	
HANDLING:	
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.
	: Close to the handling area, set up facilities for eyewash and body wash.
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.
STORAGE:	
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.
SAFETY PAKAGING MATERIAL	: Follow a product use container.
8. EXPOSURE CONTROLS/PERSONAL PRO	DTECTION
PERMISSION VALUE:	
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.
ACGIH	: Not authorized.
CONTROL VALUE	: Not authorized.
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.
PROTECTIVE EQUIPMENT:	
RESPIRATORY PROTECTION	: In normal handling is not required.
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses)
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.
APPROPRIATE HYGIENE MEASURES	: No information.
9. PHYSICAL AND CHEMICAL PROPERTIES	;;
PHYSICAL STATE	: Wax
COLOR	: White to pale yellow
odor Melting Point/Solidifing Point	: Characteristic odor :39°C(Melting point) 36°C (Solidifying point)
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.
FLAMMABILITY	: No data.
Lower and upper explosion Limit/Flammability limit	: No data.
FLASH POINT	: 239°C (Cleveland open-cup method)
AUTO-IGNITION TEMPERATURE	: No data.
DECOMPOSITION TEMPERATURE	: No data.
	: About 6 (25°C, 1% Aq. Soln.)
	: No data.
SOLUBILITY: WATER SOLUBILITY SOLUBILITY: SOLVENT SOLUBILITY	: Insoluble : Dissolve in ethanol.

Serial No. 6080006E

PARTITION COEFFICIENT	: No data.
N-OCTANOL/WATER	
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: No data.
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS OTHER DATA	: No data. : No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	6 : No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified. (VAPOR)
	No information. Classification not possible.
	(DUST, MIST) No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.
	: This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial.

13. DISPOSAL CONSIDERATIONS

Serial No. 6080006E

				: See the chapter "Precautions for Handling and storage".					
					the permiss If the comb carbon mon incineration When dispos of the conte	ion of the pre ustion process oxide occurs sing of empty ents.	fectural govern s is performed, because, in sm containers and	e disposal compa nor. during combusti iall portions to be d dispose after co bty containers / p	on, such as disposed of by omplete remova
4. TRANSF		ORMATIO	N						
UN NUI			-		Not applical	hle			
		IG NAME			Not applical				
CLASS					Not applical				
)			Not applical				
					Not applicat				
			ARPOL73/78						
SPECIF		TIONS of T			: Not applicable. : See: "Accidental Release Measures of treatment when leakage".				
0,4 21		20			Make sure t To ensure t	hat there is n he prevention ce with applic	no damage or le n of collapse of	ing and storage" eakage of the cor the luggage. regulations, do pa	tainer.
EMERG NUMBE		ST AID GUI	DELINE	:	Not applical	ble.			
INTERN	INTERNATIONAL REGULATIONS				: Comply with the rules of IATA air transport and IMDG sea transport.				
LOCAL REGULATIONS				 Land transportation: According to the method of transportation has beer established Fire Service Act, the Occupational Safety and Health Act, etc Maritime transport: According to the method of transportation is specified in the Ship Safety Law. Air transport: According to the method of transportation have been established in the Aviation Law. 					
5. REGULA	TORY IN	FORMATIC	ON						
CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)				: Japan CSCL: Priority Assessment Chemical Substances Number:250 [alpha-(Alkyl(C=16-18))-omega-hydroxypoly(oxyethane-1,2-diyl) or alpha-(alkenyl(C=16-18))-omega-hydroxypoly(oxyethane-1,2-diyl)] (It is limited that the number-average molecular weight of the polymer is less than 1,000.)					
) DELETERI ONTROL LA		: N	lot applicabl	e.			
REGISTR	ATION INF	ORMATION	l:						
	ENCS	TSCA	EINECS		AICS	DSL	ECL	PICCS	IECSC
	(Japan)	(USA)	(EU)		Australia)	(Canada)	(Korea)	(Philippines)	(China)
1	7–97	Listed	Polymer		Listed	Listed	KE-26563	Listed	Listed
6.0THER IN	FORMATIC	DN:							
ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS			: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211						
					: (81)3-3312-7207				
				: trade@nihon-emulsion.cojp : (81)3-3314-3211					
				. (0	51/0 0014-0	5211			
REFERENCE	Jananes	Industrial	Standards JIS 7	725	53 · 2019 H₂	azard commun	nication of cher	nicals based on (SHS
	JUNGINGAL								

 Japanese Industrial Standards JIS Z 7253 : 2019 Hazard communication of chemicals based on GHS --Labelling and Safety Data Sheet (SDS)

Serial No. 6080006E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.