Issued Jan 22, 2010 Revised Jul 31, 2024

Serial No. 7250009E

## SAFETY DATA SHEET

#### 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : EMALEX 725

COMPANY NAME, ADDRESS, PHONE NUMBER

: NIHON EMULSION CO., LTD.

: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan

: (81)3-3314-3211

FAX NUMBER : (81)3-3312-7207

E-MAIL ADDRESS : trade@nihon-emulsion.co.jp

RECOMMENDED USE OF PRODUCT : Cosmetic material and Surfactant

LIMITATION : For use other than recommended purposes, please consult a

professional.

SERIAL No. : 7250009E

#### 2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS: : Not classified, or Classification not possible

**HEALTH HAZARDS:** 

ACUTE TOXICITY (Oral) : Not classified
ACUTE TOXICITY (Dermal) : Not classified
ACUTE TOXICITY (Inhalation, Gas) : Not classified

ACUTE TOXICITY (Inhalation, Vapour) : Classification not possible ACUTE TOXICITY (Inhalation, Dust, Mist) : Classification not possible

SKIN CORROSION/IRRITATION : Not classified SERIOUS EYE DAMAGE/EYE IRRITATION : Category 2B

RESPIRATORY SENSITIZATION : Classification not possible

SKIN SENSITIZATIONS : Not classified
GERM CELL MUTAGENICITY : Not classified
CARCINOGENICITY : Not classified
REPRODUCTIVE TOXICITY : Not classified

SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE : Classification not possible SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE : Classification not possible ASPIRATION HAZARD : Classification not possible

ENVIRONMENTAL HAZARDS:

SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC : Category 2

**ENVIRONMENT** 

LONG-TERM (CHRONIC) HAZARDOUS TO THE AQUATIC : Not classified

**ENVIRONMENT** 

HAZARDS TO THE OZONE LAYER : Not classified

LABEL ELEMENTS:

PICTORIAL REPRESENTATIONS : Not applicable SIGNAL WORD : Warning

HAZARD STATEMENTS : Causes eye irritation
Toxic to aquatic life

PRECAUTIONARY STATEMENTS

PREVENTION: Wash thoroughly after handling. (P264)

Avoid release to the environment. (P273)

RESPONSE: IF SWALLOWED: Call a POISON CENTER/ doctor/ If you feel unwell.

(P301+P312)

IF ON SKIN: Wash with plenty water. (P302+P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

## EMALEX 725

Serial No. 7250009E NIHON EMULSION CO., LTD. P 2/6 Jan 22, 2010 Issued Revised Jul 31, 2024

If eye irritation persists: Get medical advice/attention. (P337+P313)

STORAGE: Store in a closed container. (P404)

DISPOSAL: Dispose of contents/container according to the rule of

international/country/metropolis and districts/cities and towns. (P501)

PRECAUTIONS FOR USE: Please refer to Safety Data Sheet.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE

Substance

INGREDIENTS AND CONTENTS

M COMPONENT

Wt% CAS

1 Polyoxyethylene Laurylether

100 9002-92-0

#### 4. FIRST-AID MEASURES

IF INHALED

: Remove to fresh air and keep comfortable for breathing.

IF ON SKIN

: Wash with plenty water.

IF IN FYFS

: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

Contact a doctor promptly. If eye irritation persists: Get medical

advice/attention.

IF SWALLOWED

: Call a POISON CENTER doctor. If you feel unwell.

PROTECTION OF THE PERSON MAKING

THE EMERGENCY MEASURES

: Rescuers rubber gloves should be worn protective equipment, such as

sealed goggles.

THE SPECIAL INSTRUCTIONS FOR THE

DOCTOR

: No information.

#### 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

UNSUITABLE EXTINGUISHING MEDIA

SPECIFIC FIRE-FIGHTING HAZARDS

: Dry chemical, Foam chemical, Carbon dioxide, sand, Spray water.

: Rod-like water.

: To the combustion gas, contains a toxic gas such as carbon monoxide.

Extinguish the fire careful not to inhale the smoke.

SPECIFIC METHODS OF FIRE-FIGHTING

: Eliminate the source of combustion, extinguish a fire using the fire extinguishing agent appropriate. As much as possible to do extinguish the fire from upwind. Non-official is to be saved in a secure location. Cool by watering the surrounding facilities. Drainage for fire-fighting, appropriate measures should be taken as chemicals and substance does not flow out to rivers or sewage. Appropriate measures should be taken as chemicals and substance does not flow out to rivers or sewage in drainage for fire

fighting

PROTECTIVE FOR FIRE-FIGHTERS

: To extinguish the fire appropriate protective equipment (gloves, glasses,

masks, etc.) to wear.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE

EQUIPMENT AND EMERGENCY

**PROCEDURES** 

: The work should be worn (gloves, glasses) protective equipment. If large amounts of spilled material, safely retract the human. To ensure

ventilation as needed.

**ENVIRONMENTAL PRECAUTIONS** 

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP : Do not wash away into rivers and direct sewage spilled material.

: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the or

a secure location.

PREVENTIVE MEASURES FOR SECONDARY ACCIDENT

: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant.

When wet on floor is allowed to stand in a state, slippery so be careful.

Do not walk over the spilled material.

Use the safe tool which does not generate a spark.

## 7. HANDLING AND STORAGE

HANDLING:

RECOMMENDED HANDLING TECHINICAL MEASURES

: Heat, melt and uniform before use. Keep away from overheating.

: Close to the handling area, set up facilities for eyewash and body wash.

NIHON EMULSION CO., LTD. P 3/6

Issued

Jan 22, 2010

Revised Jul 31, 2024

# EMALEX 725

Serial No. 7250009E

PRECAUTION FOR SAFE HANDLING : Flammable - Keep Fire Away

Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash

hands and face, and then gargle.

STORAGE:

CONDITIONS FOR SAFE

**STORAGE** 

: In well-ventilated indoors tightly closed container. Away from flame.

SAFETY PAKAGING MATERIAL : Follow a product use container.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERMISSION VALUE:

JAPAN SOCIETY FOR : Not authorized.

OCCUPATIONAL HEALTH

ACGIH : Not authorized.
CONTROL VALUE : Not authorized.

ENGINEERING MEASURES : If vapor, fume or mist occurs, installing a local exhaust ventilation. Close

to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures

against static electricity.

PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION : In normal handling is not required.

HAND PROTECTION : Impermeable (chemical resistance, oil resistance, solvent resistance)

protective gloves.

EYES/FACE PROTECTION : Protection glasses with the side plate. (Need full protective glasses or

goggles type safety glasses )

SKIN/BODY PROTECTION : Long-sleeved work clothes antistatic.

APPROPRIATE HYGIENE MEASURES : No information.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE : Wax

COLOR : White to pale yellow ODOR : Characteristic odor

MELTING POINT/SOLIDIFING POINT :47°C (Melting point) 41°C (Solidifying point)

BOILING POINT OR INITIAL BOILING

POINT AND BOILING RANGE

: No data.

: No data.

FLAMMABILITY : No data.

LOWER AND UPPER EXPLOSION : No data.

LIMIT/FLAMMABILITY LIMIT

FLASH POINT : 260°C (Cleveland open-cup method)

AUTO-IGNITION TEMPERATURE : No data.
DECOMPOSITION TEMPERATURE : No data.

pH : About 6 (25°C, 10% Aq. Soln.)

KINEMATIC VISCOSITY : No data. SOLUBILITY: WATER SOLUBILITY : Soluble

SOLUBILITY: SOLVENT SOLUBILITY : Dissolve in ethanol.

N-OCTANOL/WATER

VAPOUR PRESSURE : No data.

DENSITY AND/OR RELATIVE DENSITY : No data.

RELATIVE VAPOUR DENSITY : No data.

RELATIVE VAPOUR DENSITY : No data.
PARTICLE CHARACTERISTICS : No data.
OTHER DATA : No data.

# 10. STABILITY AND REACTIVITY

PARTITION COEFFICIENT

REACTIVITY : Reactivity is low.

CHEMICAL STABILITY : Conditions are stable at normal handling.

POSSIBILITY OF HAZARDOUS REACTIONS : No information.

EMALEX 725

Serial No. 7250009E NIHON EMULSION CO., LTD. P 4/6 Jan 22, 2010 Issued Revised Jul 31, 2024

CONDITIONS TO AVOID : No information. INCOMPATIBLE MATERIALS · No information HAZARDOUS DECOMPOSITION PRODUCTS: No information.

11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** 

: LD50: 3,500 mg / Kg (male mice), 4,000 mg / Kg (female mice). C12 (EO23 mol) (CIR P.7, 11). **ORAL** 

SKIN

: LD50: 2000  $^{\sim}$  5000mg/kg (rabbit) C12-13 (EO6 mol)  $^{\sim}$  C14-15 (EO13 mol) of similar substance. (NITE, written hazard assessment, p.24).

INHALATION

Not classified. (VAPOR)

No information. Classification not possible. (DUST, MIST) No information. Classification not possible.

SKIN CORROSION/IRRITATION : After 72 hours, erythema, edema score is 0, which can be regarded as

non-irritating. C12 (EO23 mol) (CIR P.8, 10)

SERIOUS EYE DAMAGE/EYE IRRITATION : Corneal abnormalities are not seen, the iris. Effect was found to mild

conjunctival in 72 hours. C12 (EO23 mol) (CIR P.8, 10)

RESPIRATORY OR SKIN SENSITIZATION : No skin sensitization C12 (EO23 mol).

(Guidelines for warning of a surfactant / surfactant Industry Association

of Japan. P.12)

GERMCELL MUTAGENICITY : In vitro test (reverse mutation test, Ames test, chromosomal aberration

test, unscheduled DNA test), and In vivo test. (mouse micronucleus test)

all negative.

Carcinogenicity were negative Rat Oral(C12-13AE6.5 and C14-15AE7) CARCINOGENICITY

Feeding ~500mg/kg(2 years) Percutaneous(C12-13AE6.5)Back coating

5.0%(18 months)

(NITE Hazard Assessment p.35)(JSDA, Risk Assessment p.8)

IARC : Unauthorized. NTP : Unauthorized. NIHON SANGYO HYGIENE SOCIETY : Unauthorized.

: Description of the No.89 (2005) hazard assessment of CERI NITE. REPRODUCTIVE TOXICITY

Reproductive toxicity study in rats, reproductive toxic effects have not

been seen in a teratogenicity study.

SPECIFIC TARGET ORGAN TOXICITY,

SINGLE EXPOSURE

: No information. Classification not possible.

SPECIFIC TARGET ORGAN TOXICITY,

REPEATED EXPOSURE

: No information. Classification not possible.

ASPIRATION HAZARD : No information. Classification not possible.

12. ECOLOGICAL INFORMATION

**ECOTOXICITY** : Killifish LC50 82mg / L C12 (time 48) (EO25 mol) (P.13 certificate hazard

assessment NITE).

PERSISTENCE AND DEGRADABILITY Biodegradability is good. Readily biodegradable aerobically, under

: No information.

anaerobic conditions. (Written hazard assessment NITE. P7)

**BIOACCUMULATIVE POTENTIAL** No information.

MOBILITY IN SOIL : No information. HAZARD TO THE OZONE LAYER : No information.

13. DISPOSAL CONSIDERATIONS

OTHER DATA

# EMALEX 725

Serial No. 7250009E

Jan 22, 2010 Issued Revised Jul 31, 2024

: See the chapter "Precautions for Handling and storage"	the chapte	oter "Precautio	is for Handling	and storage	٠.
--	------------	-----------------	-----------------	-------------	----

Entrusted to specialized industrial waste disposal company has received

the permission of the prefectural governor.

If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of by

When disposing of empty containers and dispose after complete removal

of the contents.

If possible, it is desirable to recycle empty containers / packaging.

#### 14. TRANSPORT INFORMATION

UN NUMBER : Does not fall under the classification criteria of the United Nations

United Nations classification.

PROPER SHIPPING NAME : Not applicable. CLASS : Not applicable. PACKING GROUP : Not applicable. MARINE POLLUTANT : Not applicable.

IBC CODE and ANNEX IT MARPOL73/78 : IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates.

SPECIFIC CONDITIONS of TRANSPORT and : See: "Accidental Release Measures of treatment when leakage".

SAFETY MEASURES

See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container.

To ensure the prevention of collapse of the luggage.

In accordance with applicable laws and regulations, do packaging, display

and transportation.

**EMERGENCY FIRST AID GUIDELINE** 

NUMBER

: Not applicable.

INTERNATIONAL REGULATIONS

LOCAL REGULATIONS

: Comply with the rules of IATA air transport and IMDG sea transport.

Land transportation: According to the method of transportation has been established Fire Service Act, the Occupational Safety and Health Act,

Maritime transport: According to the method of transportation is

specified in the Ship Safety Law.

Air transport: According to the method of transportation have been

established in the Aviation Law.

#### 15. REGULATORY INFORMATION

CHEMICAL SUBSTANCES CONTROL LAW

(THE SPECIFIED CHEMICAL, MONITOR

CHEMICALS)

: Not applicable.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW

: Not applicable.

# REGISTRATION INFORMATION:

TSCA **FINECS AICS** DSL FCL **PICCS IECSC FNCS** (Australia) (USA) (EU) (Canada) (Philippines) (China) (Japan) (Korea) 7-97 Listed Polymer Listed Listed KE-12935 Listed Listed

## 16.OTHER INFORMATION:

REFERENCE:

MANUFACTURER'S NAME : NIHON EMULSION CO., LTD.

**ADDRESS** : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan

**DEPARTMENT IN CHARGE** : SALES DEPARTMENT DEPARTMENT THAT PREPARED : R&D DEPARTMENT PHONES NUMBERS : (81)3-3314-3211 **FAX NUMBERS** : (81)3-3312-7207

E-MAIL ADDRESS : trade@nihon-emulsion.co.jp

**EMERGENCY CONTACT** : (81)3-3314-3211

### REFERENCE

Japanese Industrial Standards JIS Z 7253: 2019 Hazard communication of chemicals based on GHS --Labelling and Safety Data Sheet (SDS)

Revised Jul 31, 2024

Serial No. 7250009E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry Association RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc.
   Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252: 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.