Serial No. 7500007E

SAFETY DATA SHEET 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION PRODUCT NAME : EMALEX 750 COMPANY NAME, ADDRESS, PHONE NUMBER : NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : (81)3-3314-3211 : (81)3-3312-7207 FAX NUMBER E-MAIL ADDRESS : trade@nihon-emulsion.co.jp RECOMMENDED USE OF PRODUCT : Cosmetic material and Surfactant LIMITATION [:] For use other than recommended purposes, please consult a professional. SERIAL No. : 7500007E 2.HAZARDS IDENTIFICATION GHS CLASSIFICATION OF THE SUBSTANCE: PHYSICAL HAZARDS: : Not classified, or Classification not possible

HEALTH HAZARDS:					
ACUTE TOXICITY (Oral)		: Not classified			
ACUTE TOXICITY (Dermal)	: Not classified				
ACUTE TOXICITY (Inhalation, Gas)	: Not classified				
ACUTE TOXICITY (Inhalation, Vapour)		: Classification not possible			
ACUTE TOXICITY (Inhalation, Dust, Mist)		: Classification not possible			
SKIN CORROSION/IRRITATION		: Not classified			
SERIOUS EYE DAMAGE/EYE IRRITATION		: Category 2B			
RESPIRATORY SENSITIZATION		: Classification not possible			
SKIN SENSITIZATIONS		: Not classified			
GERM CELL MUTAGENICITY		: Not classified			
CARCINOGENICITY		: Not classified			
REPRODUCTIVE TOXICITY		: Not classified			
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE		: Classification not possible			
SPECIFIC TARGET ORGAN TOXICITY R	EPEATED EXPOSURE	: Classification not possible			
ASPIRATION HAZARD		: Classification not possible			
ENVIRONMENTAL HAZARDS:					
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC		: Category 2			
LONG-TERM (CHRONIC) HAZARDOUS TO THE AQUATIC ENVIRONMENT HAZARDS TO THE OZONE LAYER		: Not classified			
		: Not classified			
LABEL ELEMENTS:					
PICTORIAL REPRESENTATIONS	: Not applicable				
SIGNAL WORD	: Warning				
HAZARD STATEMENTS	: Causes eye irritation Toxic to aquatic life.				
PRECAUTIONARY STATEMENTS					
PREVENTIO	N : Wash thoroughly after ha	andling. (P264)			
	Avoid release to the env	ironment. (P273)			
RESPONSE : IF SWALLOWED: Call a POISON CENTER/ doctor/ If you f (P301+P312)					
	IF ON SKIN: Wash with p	lenty water. (P302+P352)			

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

unwell.

Serial No. 7500007E

	If eye irritation persists: Get medical advice/attention. (P337+P313)								
	E : Store in a closed container. (P404)								
	L : Dispose of contents/container according to the rule of international/country/metropolis and districts/cities and towns. (P501)								
PRECAUTIONS FOR USE : Please refer to Safety Data Sheet.									
3. COMPOSITION / INFORMATION ON INGR	EDIENTS								
SUBSTANCE/MIXTURE	:Substance								
No. COMPONENT	Wt% CAS								
1 Polyoxyethylene Laurylether	100 9002-92-0								
4. FIRST-AID MEASURES									
IF INHALED	: Remove to fresh air and keep comfortable for breathing.								
IF ON SKIN	: Wash with plenty water.								
IF IN EYES	: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Contact a doctor promptly. If eye irritation persists: Get medical advice/attention.								
IF SWALLOWED	: Call a POISON CENTER doctor. If you feel unwell.								
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber gloves should be worn protective equipment, such as sealed goggles.								
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.								
5. FIRE-FIGHTING MEASURES									
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam chemical, Carbon dioxide, sand, Spray water.								
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.								
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion gas, contains a toxic gas such as carbon monoxide. Extinguish the fire careful not to inhale the smoke.								
SPECIFIC METHODS OF FIRE-FIGHTING	 Eliminate the source of combustion, extinguish a fire using the fire extinguishing agent appropriate. As much as possible to do extinguish fire from upwind. Non-official is to be saved in a secure location. Cool watering the surrounding facilities. Drainage for fire-fighting, appropriate measures should be taken as chemicals and substance does not flow to rivers or sewage. Appropriate measures should be taken as chemical and substance does not flow out to rivers or sewage in drainage for fir fighting. To extinguish the fire appropriate protective equipment (gloves, glasse masks, etc.) to wear. 								
PROTECTIVE FOR FIRE-FIGHTERS									
6. ACCIDENTAL RELEASE MEASURES									
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	: The work should be worn (gloves, glasses) protective equipment. If large amounts of spilled material, safely retract the human. To ensure ventilation as needed.								
ENVIRONMENTAL PRECAUTIONS	: Do not wash away into rivers and direct sewage spilled material.								
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from th a secure location.								
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.								
7. HANDLING AND STORAGE									
HANDLING:									
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.								
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.								

Serial No. 7500007E

PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.				
STORAGE:					
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.				
SAFETY PAKAGING MATERIAL	: Follow a product use container.				
EXPOSURE CONTROLS/PERSONAL PRO	DTECTION				
PERMISSION VALUE:					
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.				
ACGIH	: Not authorized.				
CONTROL VALUE	: Not authorized.				
ENGINEERING MEASURES	 If vapor, fume or mist occurs, installing a local exhaust ventilation. Clo to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity. 				
PROTECTIVE EQUIPMENT:					
RESPIRATORY PROTECTION	: In normal handling is not required.				
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.				
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses)				
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.				
APPROPRIATE HYGIENE MEASURES	: No information.				
PHYSICAL AND CHEMICAL PROPERTIES	·····				
PHYSICAL STATE	: Wax				
COLOR	: White to pale yellow				
ODOR	: Characteristic odor				
MELTING POINT/SOLIDIFING POINT	:58°C(Melting point) 49°C (Solidifying point)				
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.				
FLAMMABILITY	: No data.				
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.				
FLASH POINT	: 267°C (Cleveland open-cup method)				
AUTO-IGNITION TEMPERATURE	: No data.				
DECOMPOSITION TEMPERATURE	: No data.				
pH	: About 5 (25°C, 10% Aq. Soln.)				
	: No data. : Soluble				
SOLUBILITY: WATER SOLUBILITY SOLUBILITY: SOLVENT SOLUBILITY	: Soluble : Dissolve in ethanol.				
PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.				
VAPOUR PRESSURE	: No data.				
DENSITY AND/OR RELATIVE DENSITY	: No data.				
RELATIVE VAPOUR DENSITY	: No data.				
PARTICLE CHARACTERISTICS	: No data.				
OTHER DATA	: No data.				
D. STABILITY AND REACTIVITY					
REACTIVITY	: Reactivity is low.				
CHEMICAL STABILITY	: Conditions are stable at normal handling.				
POSSIBILITY OF HAZARDOUS REACTION	S : No information.				

Serial No. 7500007E

CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: LD50: 3,500 mg / Kg (male mice), 4,000 mg / Kg (female mice). C12 (EO23 mol) (CIR P.7, 11).
SKIN	: LD50: 2000 ~ 5000mg/kg (rabbit) C12-13 (EO6 mol) ~ C14-15 (EO13 mol) of similar substance. (NITE, written hazard assessment, p.24).
INHALATION	: (GAS) Not classified. (VAPOR) No information. Classification not possible. (DUST, MIST) No information. Classification not possible.
SKIN CORROSION/IRRITATION	: After 72 hours, erythema, edema score is 0, which can be regarded as non-irritating. C12 (EO23 mol) (CIR P.8, 10)
SERIOUS EYE DAMAGE/EYE IRRITATION	: Corneal abnormalities are not seen, the iris. Effect was found to mild conjunctival in 72 hours. C12 (EO23 mol) (CIR P.8, 10)
RESPIRATORY OR SKIN SENSITIZATION	: No skin sensitization C12 (EO23 mol). (Guidelines for warning of a surfactant / surfactant Industry Association of Japan. P.12)
GERMCELL MUTAGENICITY	: In vitro test (reverse mutation test, Ames test, chromosomal aberratic test, unscheduled DNA test),and In vivo test. (mouse micronucleus test all negative.
CARCINOGENICITY	: Carcinogenicity were negative Rat Oral(C12-13AE6.5 and C14-15AE7) Feeding ~500mg/kg(2 years) Percutaneous(C12-13AE6.5)Back coatin, 5.0%(18 months) (NITE Hazard Assessment p.35)(JSDA, Risk Assessment p.8)
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: Description of the No.89 (2005) hazard assessment of CERI NITE. Reproductive toxicity study in rats, reproductive toxic effects have not been seen in a teratogenicity study.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: Killifish LC50 82mg / L C12 (time 48) (EO25 mol) (P.13 certificate haza assessment NITE).
PERSISTENCE AND DEGRADABILITY	: Biodegradability is good. Readily biodegradable aerobically, under anaerobic conditions. (Written hazard assessment NITE. P7)
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.

13. DISPOSAL CONSIDERATIONS

7500007E

Serial No.

	:	See the cha	apter "Precau	tions for Handl	ing and storage".	
	Entrusted to specialized industrial waste disposal company has a the permission of the prefectural governor. If the combustion process is performed, during combustion, such carbon monoxide occurs because, in small portions to be dispose incineration. When disposing of empty containers and dispose after complete of the contents. If possible, it is desirable to recycle empty containers / packagir				on, such as disposed of b mplete remove	
4. TRANSPORT INFORMATION						
UN NUMBER	:	Does not fall under the classification criteria of the United Nations United Nations classification.				
PROPER SHIPPING NAME	:	Not applicable.				
CLASS	:	Not applicable.				
PACKING GROUP	:	Not applicable.				
MARINE POLLUTANT	:	Not applicable.				
IBC CODE and ANNEX II MARPOL73/78	:	: IBC Code: Alcohol(C12-C16)poly(20+)ethoxylates.				
SPECIFIC CONDITIONS of TRANSPORT and		See: "Accid	lental Release	Measures of t	reatment when le	eakage″.
SAFETY MEASURES	See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container. To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do packaging, disp and transportation.					tainer.
EMERGENCY FIRST AID GUIDELINE NUMBER	:	: Not applicable.				
INTERNATIONAL REGULATIONS	:	Comply with	n the rules of	IATA air transp	oort and IMDG se	a transport.
LOCAL REGULATIONS	 Land transportation: According to the method of transportation has be established Fire Service Act, the Occupational Safety and Health Act, etc Maritime transport: According to the method of transportation is specified in the Ship Safety Law. Air transport: According to the method of transportation have been established in the Aviation Law. 				d Health Act, ation is	
15. REGULATORY INFORMATION						
CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)	:	Not applicab	e.			
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW	: Not applicable.					
REGISTRATION INFORMATION:						
		AICS	DSL (Canada)	ECL (Korea)	PICCS	IECSC
No. ENCS TSCA EINECS (Japan) (USA) (EU)		(Australia)	(Gariaua)	(Norea)	(Philippines)	(China)
NO. ENCS TSCA EINECS		(Australia) Listed	Listed	KE-12935	(Philippines) Listed	(Ghina) Listed
No. ENCS TSCA EINECS (Japan) (USA) (EU) 1 7-97 Listed Polymer						
No. ENCS TSCA EINECS (Japan) (USA) (EU) 1 7–97 Listed Polymer						
No. ENCS (Japan) TSCA (USA) EINECS (EU) 1 7–97 Listed Polymer 6.OTHER INFORMATION: REFERENCE: REFERENCE: Content of the second		Listed		KE-12935		
No. ENCS (Japan) TSCA (USA) EINECS (EU) 1 7–97 Listed Polymer 6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS AME	:	Listed NIHON EMUI 5-32-7 Koer	Listed _SION CO., LT iji-Minami Sug	KE-12935 TD.		Listed
No. ENCS (Japan) TSCA (USA) EINECS (EU) 1 7–97 Listed Polymer 6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE	:	Listed NIHON EMUI 5-32-7 Koer SALES DEP/	Listed _SION CO., LT ji-Minami Sug ARTMENT	KE-12935 TD.	Listed	Listed
No. ENCS (Japan) TSCA (USA) EINECS (EU) 1 7–97 Listed Polymer 6.0THER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED	: :! :!	Listed NIHON EMUI 5-32-7 Koer SALES DEP/ R&D DEPAF	Listed _SION CO., LT iji-Minami Sug ARTMENT RTMENT	KE-12935 TD.	Listed	Listed
No. ENCS (Japan) TSCA (USA) EINECS (EU) 1 7–97 Listed Polymer 16.0THER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS HONES HONES	: :: : :	Listed NIHON EMUI 5-32-7 Koer SALES DEPA R&D DEPAF (81)3-3314-3	Listed LSION CO., LT iji-Minami Sug ARTMENT RTMENT 3211	KE-12935 TD.	Listed	Listed
No. ENCS (Japan) TSCA (USA) EINECS (EU) 1 7–97 Listed Polymer I6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED	: : : : : (: (Listed NIHON EMUI 5-32-7 Koer SALES DEPA R&D DEPAF (81)3-3314-3 (81)3-3312-	Listed LSION CO., LT iji-Minami Sug ARTMENT RTMENT 3211	KE-12935 TD. ;inami-Ku Toky	Listed	Listed

REFERENCE

 Japanese Industrial Standards JIS Z 7253 : 2019 Hazard communication of chemicals based on GHS ---Labelling and Safety Data Sheet (SDS)

Serial No. 7500007E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.