Serial No. BGIS1100009E

#### SAFETY DATA SHEET

#### 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

#### : EMALEX BGIS-110

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	<sup>:</sup> For use other than recommended purposes, please consult a professional.
SERIAL No.	: BGIS1100009E

#### 2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Not classified
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Not classified
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. BGIS1100009E

LONG-TERM (CHRONIC) HAZARDOUS <sup>-</sup> ENVIRONMENT	TO THE AQUATIC	: Classif	fication not possible	
HAZARDS TO THE OZONE LAYER		: Classif	fication not possible	
LABEL ELEMENTS:				
PICTORIAL REPRESENTATIONS	: Not applicable			
SIGNAL WORD	: Not applicable			
HAZARD STATEMENTS	: Not applicable			
PRECAUTIONARY STATEMENTS				
	(P301+P312) IF ON SKIN: Wash wi IF IN EYES: Rinse ca	l a POISON CE th plenty wate utiously with w	ENTER/ doctor/ If you feel unwell.	
STORAG	E : Store in a closed cor	ntainer. (P404)	)	
	-	/metropolis ar	nd districts/cities and towns. (P501)	
PRECAUTIONS FOR US	E : Please refer to Safe	ty Data Sheet.		
3. COMPOSITION / INFORMATION ON INGR	EDIENTS			
SUBSTANCE/MIXTURE	:Substance			
		W#07	245	
№. COMPONENT		Wt%	CAS	
1 Polyoxyethylene Butylene Glycol Iso	ostearate	100	1446111-20-1	
I. FIRST-AID MEASURES				
IF INHALED	: Remove to fresh air	and keep comf	fortable for breathing.	
IF ON SKIN	: Wash with plenty wa	ter.		
IF IN EYES		with water for several minutes. Remove contact lenses asy to do. Continue rinsing.		
IF SWALLOWED	: Call a POISON CENTER doctor. If you feel unwell.		you feel unwell.	
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glov sealed goggles.	ves should be v	worn protective equipment, such as	
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.			
5. FIRE-FIGHTING MEASURES				
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam	chemical, Carb	oon dioxide, sand, Spray water.	
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.			
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion g Extinguish the fire ca		toxic gas such as carbon monoxide. hale the smoke.	
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent a fire from upwind. Nor watering the surroun measures should be to rivers or sewage.	appropriate. As n-official is to ding facilities. taken as chem Appropriate me	n, extinguish a fire using the fire much as possible to do extinguish th be saved in a secure location. Cool by Drainage for fire-fighting, appropriate nicals and substance does not flow ou easures should be taken as chemicals o rivers or sewage in drainage for fire	
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fire masks, etc.) to wear.		protective equipment (gloves, glasses,	
6. ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		aterial, safely i	glasses) protective equipment. If large retract the human. To ensure	
ENVIRONMENTAL PRECAUTIONS			lirect sewage spilled material.	

Serial No. BGIS1100009E

Serial No. BGIS1100009E	
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the o a secure location.
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.
7. HANDLING AND STORAGE	
HANDLING:	
RECOMMENDED HANDLING	: By a storage condition, the whole or part may solidify. At that time, heat, melt and uniform before use. Keep away from overheating.
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.
STORAGE:	
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.
SAFETY PAKAGING MATERIAL	: Follow a product use container.
8. EXPOSURE CONTROLS/PERSONAL PR	OTECTION
PERMISSION VALUE:	
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.
ACGIH	: Not authorized.
CONTROL VALUE	: Not authorized.
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.
PROTECTIVE EQUIPMENT:	
RESPIRATORY PROTECTION	: In normal handling is not required.
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses )
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.
APPROPRIATE HYGIENE MEASURES	: No information.
9. PHYSICAL AND CHEMICAL PROPERTIE	 S:
PHYSICAL STATE	: Liquid
COLOR	: Light yellow
ODOR	: Slightly characteristic odor
MELTING POINT/SOLIDIFING POINT	:No data.
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.
FLAMMABILITY	: No data.
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.
FLASH POINT	: 250°C (Cleveland open-cup method)
AUTO-IGNITION TEMPERATURE	: No data.
DECOMPOSITION TEMPERATURE	: No data.
рH	: About 6 (25°C, 1% Aq. Soln.)
KINEMATIC VISCOSITY	: No data.
SOLUBILITY: WATER SOLUBILITY	: Insoluble

Serial No. BGIS1100009E

r in ethanol.
vity is low. ons are stable at normal handling. rmation. rmation. rmation.
/ity is low. ons are stable at normal handling. rmation. rmation. rmation.
vity is low. ons are stable at normal handling. rmation. rmation. rmation.
rity is low. ons are stable at normal handling. rmation. rmation. rmation.
vity is low. ons are stable at normal handling. rmation. rmation. rmation.
<i>v</i> ity is low. ons are stable at normal handling. rmation. rmation. rmation.
ons are stable at normal handling. rmation. rmation. rmation.
ons are stable at normal handling. rmation. rmation. rmation.
rmation. rmation. rmation.
rmation. rmation.
rmation.
rmation.
rmation. Classification not possible.
rmation. Classification not possible.
ssified. ม
R) rmation. Classification not possible.
MIST)
rmation. Classification not possible.
bility: 98.3% / non-irritating Undiluted, Reconstructed Human nis: RhE (OECD TG 439) Not classified.
itation index: 0 / non-irritating Undiluted, Human patch test unc ve patch for 24 hours.
rmation. Classification not possible.
ensitization Non-sensitization RIPT (50 Human) Undiluted
ve. (Test AMES)
rmation. Classification not possible.
orized.
orized.
orized.
rmation. Classification not possible.
rmation.

13. DISPOSAL CONSIDERATIONS

Serial No. BGIS1100009E

	: See the chapter "Precautions for Handling and storage".			
	Entrusted to specialized industrial waste disposal company has receive the permission of the prefectural governor. If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of incineration. When disposing of empty containers and dispose after complete remo- of the contents. If possible, it is desirable to recycle empty containers / packaging.			
4. TRANSPORT INFORMATION				
UN NUMBER	: Not applicable.			
PROPER SHIPPING NAME	: Not applicable.			
CLASS	: Not applicable.			
PACKING GROUP	: Not applicable.			
MARINE POLLUTANT	: Not applicable.			
IBC CODE and ANNEX II MARPOL73/78				
	and : See: "Accidental Release Measures of treatment when leakage".			
	See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container. To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do packaging, disp and transportation.			
EMERGENCY FIRST AID GUIDELINE NUMBER	: Not applicable.			
INTERNATIONAL REGULATIONS	: Comply with the rules of IATA air transport and IMDG sea transport.			
LOCAL REGULATIONS	<ul> <li>Land transportation: According to the method of transportation has b established Fire Service Act, the Occupational Safety and Health Act etc</li> <li>Maritime transport: According to the method of transportation is specified in the Ship Safety Law.</li> <li>Air transport: According to the method of transportation have been established in the Aviation Law.</li> </ul>			
5. REGULATORY INFORMATION				
CHEMICAL SUBSTANCES CONTROL LAV (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)	W : Not applicable.			
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW	: Not applicable.			
REGISTRATION INFORMATION:				
№. ISHL TSCA EINECS (Japan) (USA) (EU)	AICS DSL ECL PICCS IECSC (Australia) (Canada) (Korea) (Philippines) (China)			
	Non Non Non Non Non			
1 10-3101 Non Polymer				
6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211			
6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211			
6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT			
6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211 : (81)3-3312-7207			
6.OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS E-MAIL ADDRESS	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211 : (81)3-3312-7207 : trade@nihon-emulsion.co.jp			

Serial No. BGIS1100009E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
   Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.