NIHON EMULSION CO., LTD. P 1/6 Issued Apr 28, 2010 Revised Apr 23, 2024

Serial No. CPI400010E

PRODUCT NAME

#### SAFETY DATA SHEET

#### 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: PYROTER CPI-40

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	<sup>:</sup> For use other than recommended purposes, please consult a professional.
SERIAL No.	: CPI400010E

#### 2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PH	IYSICAL HAZARDS:	
	EXPLOSIVES	: Not classified
	FLAMMABLE GASES	: Not classified
	AEROSOLS	: Not classified
	OXIDIZING GASES	: Not classified
	GASES UNDER PRESSURE	: Not classified
	FLAMMABLE LIQUIDS	: Not classified
	FLAMMABLE SOLIDS	: Not classified
	SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
	PYROPHORIC LIQUIDS	: Not classified
	PYROPHORIC SOLIDS	: Not classified
	SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
	SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
	OXIDIZING LIQUIDS	: Not classified
	OXIDIZING SOLIDS	: Not classified
	ORGANIC PEROXIDES	: Not classified
	CORROSIVE TO METALS	: Classification not possible
	DESENSITIZED EXPLOSIVES	: Not classified
HE	ALTH HAZARDS:	
	ACUTE TOXICITY (Oral)	: Not classified
	ACUTE TOXICITY (Dermal)	: Classification not possible
	ACUTE TOXICITY (Inhalation, Gas)	: Not classified
	ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
	ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
	SKIN CORROSION/IRRITATION	: Classification not possible
	SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
	RESPIRATORY SENSITIZATION	: Classification not possible
	SKIN SENSITIZATIONS	: Classification not possible
	GERM CELL MUTAGENICITY	: Classification not possible
	CARCINOGENICITY	: Classification not possible
	REPRODUCTIVE TOXICITY	: Classification not possible
	SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
	SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
	ASPIRATION HAZARD	: Classification not possible
ΕN	IVIRONMENTAL HAZARDS:	
	SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. CPI400010E

LONG-TERM (CHRONIC) HAZARDOUS <sup>-</sup> ENVIRONMENT	TO THE AQUATIC	: Class	ification not possible
HAZARDS TO THE OZONE LAYER		: Class	ification not possible
LABEL ELEMENTS: PICTORIAL REPRESENTATIONS SIGNAL WORD	: Not applicable : Not applicable		
HAZARD STATEMENTS	: Not applicable		
PRECAUTIONARY STATEMENTS		· · ·· /r	2004)
	(P301+P312) IF ON SKIN: Wash IF IN EYES: Rinse o	all a POISON C with plenty wat cautiously with resent and eas	ENTER/ doctor/ If you feel unwell.
STORAG	iE : Store in a closed c	ontainer. (P404	4)
DISPOSA PRECAUTIONS FOR US		ry/metropolis a	and districts/cities and towns. (P501
3. COMPOSITION / INFORMATION ON INGR SUBSTANCE/MIXTURE	EDIENTS :Substance		
INGREDIENTS AND CONTENTS	Jubstance		
No. COMPONENT		Wt%	CAS
1 Polyoxyethylene Hydrogenated Cas Monopyroglutamate Monoisostearat		100	1384967-53-6
4. FIRST-AID MEASURES			
IF INHALED	: Remove to fresh ai	r and keep com	fortable for breathing.
IF ON SKIN	: Wash with plenty w	ater.	
IF IN EYES	if present and easy	to do. Continu	-
IF SWALLOWED	: Call a POISON CEI		
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	sealed goggles.	oves should be	worn protective equipment, such as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.		
5. FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foan	n chemical, Car	bon dioxide, sand, Spray water.
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.		
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion Extinguish the fire		a toxic gas such as carbon monoxide. nhale the smoke.
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent fire from upwind. N watering the surrou measures should be to rivers or sewage	appropriate. A on-official is to inding facilities taken as cher Appropriate n	n, extinguish a fire using the fire s much as possible to do extinguish t be saved in a secure location. Cool . Drainage for fire-fighting, appropriat micals and substance does not flow o neasures should be taken as chemica to rivers or sewage in drainage for fire
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the f masks, etc.) to wea		protective equipment (gloves, glasses
6. ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS, PROTECTIVE			glasses) protective equipment. If larg
EQUIPMENT AND EMERGENCY PROCEDURES	amounts of spilled ventilation as need		retract the human. To ensure

Serial No. CPI400010E

Serial No. CPI400010E	
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the o a secure location.
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.
7. HANDLING AND STORAGE	
HANDLING:	
RECOMMENDED HANDLING	: By a storage condition, the whole or part may solidify. At that time, heat, melt and uniform before use. Keep away from overheating.
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.
STORAGE:	
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.
SAFETY PAKAGING MATERIAL	: Follow a product use container.
8. EXPOSURE CONTROLS/PERSONAL PR	OTECTION
PERMISSION VALUE:	
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.
ACGIH	: Not authorized.
CONTROL VALUE	: Not authorized.
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.
PROTECTIVE EQUIPMENT:	
RESPIRATORY PROTECTION	: In normal handling is not required.
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses )
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.
APPROPRIATE HYGIENE MEASURES	: No information.
9. PHYSICAL AND CHEMICAL PROPERTIES	S:
PHYSICAL STATE	: Liquid or petrolatum-like substance
COLOR	: Light yellow
ODOR	: Slightly characteristic odor
MELTING POINT/SOLIDIFING POINT	:No data.
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.
FLAMMABILITY	: No data.
Lower and upper explosion Limit/flammability limit	: No data.
FLASH POINT	: 274°C(Cleveland open-cup method)
AUTO-IGNITION TEMPERATURE	: No data.
DECOMPOSITION TEMPERATURE	: No data.
рH	: About 3 (25°C, 1% Aq. Soln)
KINEMATIC VISCOSITY	: No data.
SOLUBILITY: WATER SOLUBILITY	: Insoluble

NIHON EMULSION CO., LTD. P 4/6 Issued Apr 28, 2010 Revised Apr 23, 2024

Serial No. CPI400010E

SOLUBILITY: SOLVENT SOLUBILITY	: No data.
PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: 1.04(30/20°C)
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
10. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
11. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: Mice, LD50 >53.5g/kg Litchfield-Wilcoxon method
SKIN	: No information. Classification not possible.
INHALATION	: (GAS) Not classified. (VAPOR)
	No information. Classification not possible. (DUST, MIST) No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: OECD TG 301A (DOC Die-Away) 79.6% after 21days
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.

13. DISPOSAL CONSIDERATIONS

Serial No. CPI400010E

				: See the ch	apter "Precau	tions for Hand	lling and storage".	
				the permis: If the comb carbon mon incineration When dispo of the cont	sion of the pre pustion process noxide occurs n. psing of empty cents.	fectural gover s is performed because, in sr containers an	te disposal compa nor. d, during combustionall portions to be nd dispose after co npty containers / p	on, such as disposed of b omplete remov
4. TRANSI		ORMATION	J					
UN NU				: Not applica	ble			
	ER SHIPPIN	IG NAME		: Not applica				
CLASS				: Not applica				
	- NG GROUP	)		: Not applica				
				: Not applica				
			RPOL73/78	: Not applica				
SPECI	FIC CONDI	TIONS of TH				Measures of	treatment when le	eakage″.
SAFET	'Y MEASUR	ES		Make sure To ensure	that there is n the prevention nce with applic	o damage or l of collapse o	lling and storage". eakage of the con f the luggage. regulations, do pa	itainer.
EMERGENCY FIRST AID GUIDELINE NUMBER			: Not applicable.					
INTER	NATIONAL	REGULATIO	ONS	: Comply with the rules of IATA air transport and IMDG sea transport.				
LOCAL REGULATIONS			<ul> <li>Land transportation: According to the method of transportation has be established Fire Service Act, the Occupational Safety and Health Act, etc</li> <li>Maritime transport: According to the method of transportation is specified in the Ship Safety Law.</li> <li>Air transport: According to the method of transportation have been established in the Aviation Law.</li> </ul>					
5. REGUL	ATORY IN	FORMATIC	DN					
	SPECIFIED	TANCES CO CHEMICAL,	ONTROL LAW MONITOR	: Not applicat	le.			
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW			: Not applicable.					
REGISTF	RATION INF	ORMATION	:					
No.	ENCS (Japan)	TSCA (USA)	EINECS (EU)	AICS (Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)
1	8-283	Non	Polymer	Non	Non	Non	Non	Non
6.OTHER IN	FORMATIC	DN:						
REFERE	NCE:							
MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS			: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211					
			: (81)3-3312-7207					
E-MAIL ADDRESS			: trade@nihon-emulsion.co.jp					
EMERC	GENCY CO	NTACT		: (81)3-3314-	3211			
EFERENCE								
	<ul> <li>Japanese</li> </ul>		Standards JIS Z Data Sheet (SDS		azard commun	ication of che	micals based on (	GHS

Serial No. CPI400010E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
   Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.