Serial No. CWS100003E

PRODUCT NAME

### SAFETY DATA SHEET

#### 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: EMALEX CWS-10

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD.
	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan
	: (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	<sup>:</sup> For use other than recommended purposes, please consult a professional.
SERIAL No.	: CWS100003E

#### 2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Classification not possible
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. CWS100003E

LONG-TERM (CHRONIC) HAZARDOUS 1 ENVIRONMENT	TO THE AQUATIC	: Classifi	ication not possible
HAZARDS TO THE OZONE LAYER		: Classifi	ication not possible
LABEL ELEMENTS:			
PICTORIAL REPRESENTATIONS	: Not applicable		
SIGNAL WORD	: Not applicable		
HAZARD STATEMENTS	: Not applicable		
PRECAUTIONARY STATEMENTS			
	N : Wash thoroughly afte	-	
RESPONS	E : IF SWALLOWED: Call (P301+P312)	a POISON CE	NTER/ doctor/ If you feel unwell.
	IF ON SKIN: Wash wit	h plentv water	(P302+P352)
			ater for several minutes. Remove
	contact lenses, if pre		to do. Continue rinsing.
STOPAC	(P305+P351+P338) E : Store in a closed con	tainar (DAOA)	
PRECAUTIONS FOR US		/metropolis an	d districts/cities and towns. (P501)
3. COMPOSITION / INFORMATION ON INGR	EDIENTS		
SUBSTANCE/MIXTURE	:Substance		
		14/10/	040
No. COMPONENT		Wt%	CAS
1 Polyoxyethylene Cetyl Ether Steara	te	100	_
4. FIRST-AID MEASURES			
IF INHALED	: Remove to fresh air a	and keep comf	ortable for breathing.
IF ON SKIN	: Wash with plenty wat	er.	
IF IN EYES	: Rinse cautiously with if present and easy t		eral minutes. Remove contact lenses rinsing.
IF SWALLOWED	: Call a POISON CENT	ER doctor. If y	vou feel unwell.
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glov sealed goggles.	es should be w	vorn protective equipment, such as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.		
5. FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA	: Dry chemical. Foam o	hemical. Carbo	on dioxide, sand, Spray water.
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.		
SPECIFIC FIRE-FIGHTING HAZARDS			toxic gas such as carbon monoxide. nale the smoke.
SPECIFIC METHODS OF FIRE-FIGHTING	: Eliminate the source extinguishing agent a fire from upwind. Nor watering the surroun measures should be to rivers or sewage.	of combustion, ppropriate. As -official is to b ding facilities. I aken as chemi Appropriate me	, extinguish a fire using the fire much as possible to do extinguish th be saved in a secure location. Cool b Drainage for fire-fighting, appropriate icals and substance does not flow ou asures should be taken as chemicals rivers or sewage in drainage for fire
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fire masks, etc.) to wear.	appropriate p	rotective equipment (gloves, glasses,
6. ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		aterial, safely r	lasses) protective equipment. If large etract the human. To ensure
ENVIRONMENTAL PRECAUTIONS	: Do not wash away in	to rivers and di	irect sewage spilled material.
	-		

Serial No. CWS100003E

Serial No. CWS100003E	Revised Aug 27, 2024				
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the or a secure location.				
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	<ul> <li>Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant.</li> <li>When wet on floor is allowed to stand in a state, slippery so be careful.</li> <li>Do not walk over the spilled material.</li> <li>Use the safe tool which does not generate a spark.</li> </ul>				
7. HANDLING AND STORAGE					
HANDLING:					
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.				
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.				
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.				
STORAGE:					
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.				
SAFETY PAKAGING MATERIAL	: Follow a product use container.				
8. EXPOSURE CONTROLS/PERSONAL PRO	DTECTION				
PERMISSION VALUE:					
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.				
ACGIH	: Not authorized.				
CONTROL VALUE	: Not authorized.				
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.				
PROTECTIVE EQUIPMENT:					
RESPIRATORY PROTECTION	: In normal handling is not required.				
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.				
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses )				
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.				
APPROPRIATE HYGIENE MEASURES	: No information.				
9. PHYSICAL AND CHEMICAL PROPERTIES	<u>.</u>				
PHYSICAL STATE	: Petrolatum-like substance				
COLOR	: Light vellowish white				
ODOR	: Slightly characteristic odor				
MELTING POINT/SOLIDIFING POINT	: 35°C (Solidifying point)				
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.				
FLAMMABILITY	: No data.				
Lower and upper explosion Limit/Flammability limit	: No data.				
FLASH POINT	: 259°C (Cleveland open-cup method)				
AUTO-IGNITION TEMPERATURE	: No data.				
DECOMPOSITION TEMPERATURE	: No data.				
	: No data.				
KINEMATIC VISCOSITY SOLUBILITY: WATER SOLUBILITY	: No data. : Insoluble				
SOLUBILITY: SOLVENT SOLUBILITY	: No data.				

Serial No. CWS100003E

	· Na data
PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: No data.
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	3 : No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified. (VAPOR)
	No information. Classification not possible.
	(DUST, MIST) No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	
	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.
	: This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial.

13. DISPOSAL CONSIDERATIONS

Serial No. CWS100003E

				: See the cl	apter "Precaut	ions for Hand	lling and storage"		
				Entrusted to specialized industrial waste disposal company has the permission of the prefectural governor. If the combustion process is performed, during combustion, sucl carbon monoxide occurs because, in small portions to be dispos incineration. When disposing of empty containers and dispose after complete of the contents. If possible, it is desirable to recycle empty containers / packagi					
14. TRANS	PORT INFO	ORMATIO	N						
UN NI	JMBER			: Not applica	able.				
PROP	ER SHIPPIN	G NAME		: Not applica	able.				
CLAS	S			: Not applica	able.				
PACK	ING GROUP			: Not applica	able.				
MARIN		ANT		: Not applica	able.				
IBC C	ODE and AN	INEX II MA	ARPOL73/78	: Not applica	able.				
	IFIC CONDIT		RANSPORT and	: See: "Acc	dental Release	Measures of	treatment when l	eakage″.	
0,112				Make sure To ensure	that there is no the prevention nce with applica	o damage or l of collapse o	lling and storage" eakage of the cor f the luggage. regulations, do pa	itainer.	
EMERGENCY FIRST AID GUIDELINE NUMBER			: Not applica	able.					
INTER	RNATIONAL	REGULATI	ONS	: Comply wi	th the rules of <b>I</b>	ATA air trans	sport and IMDG se	a transport.	
LOCA	L REGULAT	IONS		established etc Maritime t specified in Air transpo	d Fire Service A ransport: Accor n the Ship Safe	Act, the Occu ding to the m ty Law. o the method	nethod of transpo pational Safety ar ethod of transpor of transportation	id Health Act, tation is	
5. REGUL	ATORY INF	ORMATIO	ON						
(THE :	IICAL SUBS <sup>-</sup> SPECIFIED ( IICALS)		ONTROL LAW MONITOR	: Not applica	ole.				
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW		: Not applica	ole.						
REGISTI	RATION INFO	ORMATION	l:						
No.	ENCS (Japan)	TSCA (USA)	EINECS (EU)	AICS (Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)	
1	7-141	—	Polymer	—	_	—	_		
6.OTHER I	NFORMATIO	N:							
REFERE	NCE:								
MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE		: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT							
	DEPARTMENT THAT PREPARED PHONES NUMBERS		: (81)3-3314-3211						
DEPA PHON		FAX NUMBERS		: (81)3-3312-7207 : trade@pibon-emulsion.co.in					
DEPA PHON FAX N	UMBERS			· trade@nihor	–emulsion oo in	: trade@nihon-emulsion.cojp : (81)3-3314-3211			
DEPA PHON FAX N E-MA	IUMBERS IL ADDRESS								
DEPA PHON FAX N E-MA EMER	IUMBERS IL ADDRESS GENCY CON								
DEPA PHON FAX N E-MA	NUMBERS IL ADDRESS GENCY CON E	ITACT	Standarda IIS 7	: (81)3-3314	-3211		micals based on (	3HS	

Serial No. CWS100003E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
   Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.