Serial No. GWIS105EX0003E

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

: EMALEX GWIS-105EX

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	[:] For use other than recommended purposes, please consult a professional.
SERIAL No.	: GWIS105EX0003E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

dis deasing of the substance.	
PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Not classified
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. GWIS105EX0003E

LONG-TERM (CHRONIC) HAZARDOUS ⁻ ENVIRONMENT	TO THE AQUATIC	: Classif	ication not possible
HAZARDS TO THE OZONE LAYER		: Classif	ication not possible
LABEL ELEMENTS: PICTORIAL REPRESENTATIONS SIGNAL WORD HAZARD STATEMENTS	: Not applicable : Not applicable : Not applicable		
PRECAUTIONARY STATEMENTS			
PREVENTIO	(P301+P312) IF ON SKIN: Wash w IF IN EYES: Rinse ca	I a POISON CE th plenty water utiously with w	ENTER/ doctor/ If you feel unwell.
STORAG	E : Store in a closed co	ntainer. (P404))
DISPOSA PRECAUTIONS FOR US	·	//metropolis ar	ording to the rule of nd districts/cities and towns.(P501)
3. COMPOSITION / INFORMATION ON INGR SUBSTANCE/MIXTURE INGREDIENTS AND CONTENTS	EDIENTS :Substance		
No. COMPONENT		Wt%	CAS
1 Polyoxyethylene Glyceryl Isostearat	e	100	68958-58-7
4. FIRST-AID MEASURES			
IF INHALED	: Remove to fresh air	and keep comf	ortable for breathing.
IF ON SKIN	: Wash with plenty wa		<u> </u>
IF IN EYES	: Rinse cautiously with if present and easy t		eral minutes. Remove contact lenses, rinsing.
IF SWALLOWED	: Call a POISON CEN	TER doctor. If y	you feel unwell.
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glo sealed goggles.	ves should be v	worn protective equipment, such as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.		
5. FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam	chemical, Carb	on dioxide, sand, Spray water.
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.		
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion g Extinguish the fire ca		toxic gas such as carbon monoxide. hale the smoke.
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent a fire from upwind. No watering the surrour measures should be to rivers or sewage.	appropriate. As n-official is to l ding facilities. taken as chem Appropriate me	n, extinguish a fire using the fire much as possible to do extinguish th be saved in a secure location. Cool by Drainage for fire-fighting, appropriate icals and substance does not flow ou easures should be taken as chemicals o rivers or sewage in drainage for fire
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fir masks, etc.) to wear		rotective equipment (gloves, glasses,
3. ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		aterial, safely r	lasses) protective equipment. If large retract the human. To ensure
ENVIRONMENTAL PRECAUTIONS	: Do not wash away ir	to rivers and d	lirect sewage spilled material.

Serial No. GWIS105EX0003E

Serial No. GWIS105EX0003E				
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the o a secure location.			
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.			
7. HANDLING AND STORAGE				
HANDLING:				
RECOMMENDED HANDLING	: By a storage condition, the whole or part may solidify. At that time, heat, melt and uniform before use. Keep away from overheating.			
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.			
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protectiv equipment protective glasses protective gloves. After handling, was hands and face, and then gargle.			
STORAGE:				
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.			
SAFETY PAKAGING MATERIAL	: Follow a product use container.			
8. EXPOSURE CONTROLS/PERSONAL PRO	DTECTION			
PERMISSION VALUE:				
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.			
ACGIH	: Not authorized.			
CONTROL VALUE	: Not authorized.			
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.			
PROTECTIVE EQUIPMENT:				
RESPIRATORY PROTECTION	: In normal handling is not required.			
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.			
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses)			
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.			
APPROPRIATE HYGIENE MEASURES	: No information.			
9. PHYSICAL AND CHEMICAL PROPERTIES	<u>}:</u>			
PHYSICAL STATE	: Liquid			
COLOR	: Light yellow			
ODOR	: Slightly characteristic odor			
MELTING POINT/SOLIDIFING POINT	:No data.			
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.			
FLAMMABILITY	: No data.			
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.			
FLASH POINT	: 254°C (Cleveland open-cup method)			
AUTO-IGNITION TEMPERATURE	: No data.			
DECOMPOSITION TEMPERATURE	: No data.			
pH	: About 5 (25°C, 1% Aq. Soln.)			
KINEMATIC VISCOSITY	: No data.			
SOLUBILITY: WATER SOLUBILITY	: Insoluble			

Serial No. GWIS105EX0003E

SOLUBILITY: SOLVENT SOLUBILITY	: Dissolve in ethanol.
PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: 1.01(30/20°C)
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
11. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified. (VAPOR)
	No information. Classification not possible.
	(DUST, MIST)
	No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.

13. DISPOSAL CONSIDERATIONS

Serial No. GWIS105EX0003E

					: See the chapter "Precautions for Handling and storage".				
					Entrusted to specialized industrial waste disposal company has receive the permission of the prefectural governor. If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of b incineration. When disposing of empty containers and dispose after complete remov of the contents. If possible, it is desirable to recycle empty containers / packaging.				
		ORMATIO	N						
	JMBER			: Not applica					
	PROPER SHIPPING NAME			: Not applica					
CLAS				: Not applica					
	ING GROUP			: Not applica					
	NE POLLUT			: Not applica					
			ARPOL73/78	: Not applica					
SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES		: See: "Acci	dental Release	Measures of	treatment when le	eakage″.			
SAL	TT WEAGON	23		Make sure To ensure	that there is n the prevention nce with applic	o damage or l of collapse o	lling and storage". eakage of the con f the luggage. regulations, do pa	tainer.	
EMERGENCY FIRST AID GUIDELINE NUMBER INTERNATIONAL REGULATIONS			: Not applicable.						
			: Comply with the rules of IATA air transport and IMDG sea transport.						
				established etc Maritime ti specified in Air transpo	d Fire Service / ransport: Accor n the Ship Safe	Act, the Occu ding to the m ty Law. o the method	nethod of transpo pational Safety an ethod of transport of transportation	id Health Act, tation is	
5. REGUL	ATORY IN	ORMATIC	ON						
CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)		: Not applical	ole.						
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW REGISTRATION INFORMATION:		: Not applical	ole.						
		TSCA (USA)	EINECS (EU)	AICS (Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)	
1	7-137	Listed	Non	Listed	Non	Non	Non	Listed	
	NFORMATIC	DN:							
6.OTHER II		-							
		'S NAME		: NIHON EMU	JLSION CO., LT	۲D.			
REFERE	JFACTURER			: 5-32-7 Koe	nji-Minami Sug	;inami−Ku Tok	yo 166-0003 Japa	an	
REFERE	JFACTURER								
REFERE MANU ADDR DEPA	JFACTURER RESS RTMENT IN			: SALES DEF					
REFERE MANU ADDR DEPA DEPA	JFACTURER RESS RTMENT IN RTMENT TH	IAT PREPA	RED	: R&D DEPA	RTMENT				
REFERE MANU ADDR DEPA DEPA PHON	IFACTURER RESS RTMENT IN RTMENT TH IES NUMBEF	IAT PREPA	RED	: R&D DEPA : (81)3-3314-	RTMENT -3211				
REFERE MANU ADDR DEPA DEPA PHON FAX N	JFACTURER RESS RTMENT IN RTMENT TH IES NUMBEF JUMBERS	IAT PREPA RS	RED	: R&D DEPA : (81)3-3314- : (81)3-3312-	RTMENT -3211 -7207				
REFERE MANU ADDR DEPA DEPA PHON FAX N E-MA	IFACTURER RESS RTMENT IN RTMENT TH IES NUMBER IUMBERS IL ADDRESS	IAT PREPA RS	RED	: R&D DEPA : (81)3-3314- : (81)3-3312- : trade@nihor	RTMENT -3211 -7207 n-emulsion.co.jp)			
REFERE MANU ADDR DEPA DEPA PHON FAX N E-MA	IFACTURER RESS RTMENT IN RTMENT TH IES NUMBER IUMBERS IL ADDRESS GENCY COM	IAT PREPA RS	RED	: R&D DEPA : (81)3-3314- : (81)3-3312-	RTMENT -3211 -7207 n-emulsion.co.jp)			

Labelling and Safety Data Sheet (SDS)

Serial No. GWIS105EX0003E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.