NIHON EMULSION CO., LTD. P 1/6 Issued Mar 16, 2012 Revised Aug 21, 2024

Serial No. GWIS130EX0005E

### SAFETY DATA SHEET

: EMALEX GWIS-130EX

#### 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD.
	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan
	: (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.cojp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	<sup>:</sup> For use other than recommended purposes, please consult a professional.
SERIAL No.	: GWIS130EX0005E

#### 2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Not classified
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH	: Not classified
WATER, EMIT FLAMMABLE GASES	
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. GWIS130EX0005E

LONG-TERM (CHRONIC) HAZARDOUS T ENVIRONMENT	TO THE AQUATIC	: Class	ification not possible	
HAZARDS TO THE OZONE LAYER		: Classification not possible		
LABEL ELEMENTS:				
PICTORIAL REPRESENTATIONS	: Not applicable			
SIGNAL WORD	: Not applicable			
HAZARD STATEMENTS	: Not applicable			
PRECAUTIONARY STATEMENTS				
PREVENTIO	N : Wash thoroughly afte	er handling. (F	P264)	
RESPONS		l a POISON C	ENTER/ doctor/ If you feel unv	well.
	(P301+P312)	the mlanets sugar	or (D202+D252)	
	IF ON SKIN: Wash with plenty water. (P302+P352) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)			
STORAG	E : Store in a closed cor	ntainer. (P404	4)	
DISPOSA	L : Dispose of contents	container ac	cording to the rule of	
PRECAUTIONS FOR US			and districts/cities and towns.	(P501)
. COMPOSITION / INFORMATION ON INGR	EDIENTS			
SUBSTANCE/MIXTURE	:Substance			
INGREDIENTS AND CONTENTS				
No. COMPONENT		Wt%	CAS	
1 Polyoxyethylene Glyceryl Isostearat	e	100	68958-58-7	
FIRST-AID MEASURES				
IF INHALED	: Remove to fresh air	and keep com	fortable for breathing.	
IF ON SKIN	: Wash with plenty wa			
IF IN EYES		n water for se	veral minutes. Remove contact e rinsing.	lenses,
IF SWALLOWED	: Call a POISON CEN	FER doctor. If	you feel unwell.	
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glov sealed goggles.	ves should be	worn protective equipment, suc	ch as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.			
. FIRE-FIGHTING MEASURES				
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam	chemical, Car	bon dioxide, sand, Spray water.	
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.			
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion g Extinguish the fire ca		n toxic gas such as carbon mon nhale the smoke.	oxide.
SPECIFIC METHODS OF FIRE-FIGHTING	: Eliminate the source extinguishing agent a fire from upwind. Nor watering the surroun measures should be to rivers or sewage.	of combustio appropriate. An official is to ding facilities. taken as cher Appropriate m	n, extinguish a fire using the fir s much as possible to do exting be saved in a secure location. Drainage for fire-fighting, appr nicals and substance does not heasures should be taken as ch to rivers or sewage in drainage	uish the Cool by opriate flow out emicals
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fire masks, etc.) to wear.		protective equipment (gloves, g	lasses,
ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY	amounts of spilled m	aterial, safely	glasses) protective equipment. retract the human. To ensure	If large
PROCEDURES	ventilation as needed	J.		

Serial No. GWIS130EX0005E

Serial No. GWIS130EX0005E			
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the c a secure location.		
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately a prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be care Do not walk over the spilled material. Use the safe tool which does not generate a spark.		
7. HANDLING AND STORAGE			
HANDLING:			
RECOMMENDED HANDLING	: By a storage condition, the whole or part may solidify. At that time, heat, melt and uniform before use. Keep away from overheating.		
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.		
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.		
STORAGE:			
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.		
SAFETY PAKAGING MATERIAL	: Follow a product use container.		
8. EXPOSURE CONTROLS/PERSONAL PRO	DTECTION		
PERMISSION VALUE:			
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.		
ACGIH	: Not authorized.		
CONTROL VALUE	: Not authorized.		
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.		
PROTECTIVE EQUIPMENT:			
RESPIRATORY PROTECTION	: In normal handling is not required.		
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.		
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses $\)$		
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.		
APPROPRIATE HYGIENE MEASURES	: No information.		
9. PHYSICAL AND CHEMICAL PROPERTIES	<u>}</u>		
PHYSICAL STATE	: Liquid to wax		
COLOR	: Light vellow to light vellowish white		
ODOR	: Slightly characteristic odor		
MELTING POINT/SOLIDIFING POINT	:No data.		
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.		
FLAMMABILITY	: No data.		
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.		
FLASH POINT	: 264°C(Cleveland open-cup method)		
AUTO-IGNITION TEMPERATURE	: No data.		
DECOMPOSITION TEMPERATURE	: No data.		
рH	: About 5 (25°C, 1% Aq. Soln.)		
KINEMATIC VISCOSITY	: No data.		
SOLUBILITY: WATER SOLUBILITY	: Soluble		

Serial No. GWIS130EX0005E

SOLUBILITY: SOLVENT SOLUBILITY	: Dissolve in ethanol.			
PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.			
VAPOUR PRESSURE	: No data.			
DENSITY AND/OR RELATIVE DENSITY	: 1.07(30/20°C)			
RELATIVE VAPOUR DENSITY	: No data.			
PARTICLE CHARACTERISTICS	: No data.			
OTHER DATA	: No data.			
0. STABILITY AND REACTIVITY				
REACTIVITY	: Reactivity is low.			
CHEMICAL STABILITY	: Conditions are stable at normal handling.			
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.			
CONDITIONS TO AVOID	: No information.			
INCOMPATIBLE MATERIALS	: No information.			
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.			
1. TOXICOLOGICAL INFORMATION				
ACUTE TOXICITY				
ORAL	: No information. Classification not possible.			
SKIN	: No information. Classification not possible.			
INHALATION	: (GAS) Not classified.			
	(VAPOR)			
	No information. Classification not possible. (DUST, MIST)			
	No information. Classification not possible.			
SKIN CORROSION/IRRITATION	: No information. Classification not possible.			
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.			
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.			
GERMCELL MUTAGENICITY	: No information. Classification not possible.			
CARCINOGENICITY	: No information. Classification not possible.			
IARC	: Unauthorized.			
NTP	: Unauthorized.			
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.			
REPRODUCTIVE TOXICITY	: No information. Classification not possible.			
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.			
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.			
ASPIRATION HAZARD	: No information. Classification not possible.			
2. ECOLOGICAL INFORMATION	·			
ECOTOXICITY	: No information.			
PERSISTENCE AND DEGRADABILITY	: No information.			
BIOACCUMULATIVE POTENTIAL	: No information.			
MOBILITY IN SOIL	: No information.			
HAZARD TO THE OZONE LAYER OTHER DATA	: No information. : No information.			

#### **13. DISPOSAL CONSIDERATIONS**

Serial No. GWIS130EX0005E

	: See the ch	apter "Precau	tions for Hand	lling and storage".	
	Entrusted to specialized industrial waste disposal company has receive the permission of the prefectural governor. If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of h incineration. When disposing of empty containers and dispose after complete remov of the contents. If possible, it is desirable to recycle empty containers / packaging.				on, such as disposed of by omplete remova
. TRANSPORT INFORMATION					
UN NUMBER	: Not applica	ble.			
PROPER SHIPPING NAME	: Not applicable.				
	: Not applicable.				
PACKING GROUP	: Not applicable.				
MARINE POLLUTANT	: Not applicable.				
IBC CODE and ANNEX II MARPOL73/78	: Not applicable.				
SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES					-
	Make sure To ensure	that there is n the prevention nce with applic	o damage or lo of collapse of	lling and storage". eakage of the con f the luggage. regulations, do pa	tainer.
EMERGENCY FIRST AID GUIDELINE NUMBER	: Not applicable.				
INTERNATIONAL REGULATIONS	<ul> <li>Comply with the rules of IATA air transport and IMDG sea transport.</li> <li>Land transportation: According to the method of transportation has be established Fire Service Act, the Occupational Safety and Health Act, etc</li> <li>Maritime transport: According to the method of transportation is specified in the Ship Safety Law.</li> <li>Air transport: According to the method of transportation have been established in the Aviation Law.</li> </ul>				
LOCAL REGULATIONS					
REGULATORY INFORMATION					
CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)	: Not applicable.				
POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW REGISTRATION INFORMATION:	: Not applicat	lle.			
No. ENCS TSCA EINECS (Japan) (USA) (EU)	AICS (Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)
	Listed	Non	Non	Non	Listed
1 7–137 Listed Polymer					
1 7-137 Listed Polymer OTHER INFORMATION:					
OTHER INFORMATION:					
OTHER INFORMATION: REFERENCE:	: NIHON EMU	ILSION CO., LI	D.		
OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME				yo 166-0003 Japa	an
OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE	: 5-32-7 Koe : SALES DEP	nji−Minami Sug ARTMENT		yo 166-0003 Japa	an
OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED	: 5-32-7 Koe : SALES DEP : R&D DEPA	nji−Minami Sug ARTMENT RTMENT		yo 166-0003 Japa	an
OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS	: 5-32-7 Koe : SALES DEP : R&D DEPA : (81)3-3314-	nji–Minami Sug ARTMENT RTMENT ·3211		yo 166-0003 Japa	an
OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS	: 5-32-7 Koe : SALES DEP : R&D DEPA : (81)3-3314- : (81)3-3312-	nji-Minami Sug ARTMENT RTMENT 3211 7207	inami−Ku Tok	yo 166-0003 Japa	an
OTHER INFORMATION: REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS E-MAIL ADDRESS	: 5-32-7 Koe : SALES DEP : R&D DEPA : (81)3-3314- : (81)3-3312-	nji−Minami Sug ARTMENT RTMENT ·3211 ·7207 −emulsion.co.jp	inami−Ku Tok	yo 166-0003 Japa	an

Labelling and Safety Data Sheet (SDS)

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
   Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.