Serial No. GWIS1500004E

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

: EMALEX GWIS-150

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD.
	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan
	: (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	[:] For use other than recommended purposes, please consult a professional.
SERIAL No.	: GWIS1500004E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Classification not possible
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. GWIS1500004E

LONG-TERM (CHRONIC) HAZARDOUS T ENVIRONMENT	TO THE AQUATIC	: Classi	ification not possible			
HAZARDS TO THE OZONE LAYER		: Classification not possible				
LABEL ELEMENTS:						
PICTORIAL REPRESENTATIONS	: Not applicable					
SIGNAL WORD	: Not applicable					
HAZARD STATEMENTS	: Not applicable					
PRECAUTIONARY STATEMENTS						
	N : Wash thoroughly after	0				
RESPONSI	SE : IF SWALLOWED: Call a POISON CENTER/ doctor/ If you feel unwell. (P301+P312)					
	IF ON SKIN: Wash wit					
			water for several minutes. Remove y to do. Continue rinsing.			
STORAG	E : Store in a closed con	tainer. (P404	1)			
DISPOSA	L : Dispose of contents/	container acc	cording to the rule of			
PRECAUTIONS FOR US			nd districts/cities and towns. (P501)			
		y buta eneot				
3. COMPOSITION / INFORMATION ON INGRI						
SUBSTANCE/MIXTURE INGREDIENTS AND CONTENTS	:Substance					
No. COMPONENT		Wt%	CAS			
1 Polyoxyethylene Glyceryl Isostearat	te	100	68958-58-7			
4. FIRST-AID MEASURES						
IF INHALED	: Remove to fresh air a	and keep com	fortable for breathing.			
IF ON SKIN	: Wash with plenty wat	: Wash with plenty water.				
IF IN EYES	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
IF SWALLOWED	: Call a POISON CENT	ER doctor. If	you feel unwell.			
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber gloves should be worn protective equipment, such as sealed goggles.					
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.					
5. FIRE-FIGHTING MEASURES						
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam c	hemical, Carl	bon dioxide, sand, Spray water.			
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.					
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion ga Extinguish the fire ca		toxic gas such as carbon monoxide. hhale the smoke.			
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent a fire from upwind. Non watering the surround measures should be t to rivers or sewage. A	ppropriate. As -official is to ding facilities. aken as chen Appropriate m	n, extinguish a fire using the fire s much as possible to do extinguish the be saved in a secure location. Cool by Drainage for fire-fighting, appropriate nicals and substance does not flow out leasures should be taken as chemicals o rivers or sewage in drainage for fire			
	ngnung.					
PROTECTIVE FOR FIRE-FIGHTERS		appropriate	protective equipment (gloves, glasses,			
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fire	appropriate	protective equipment (gloves, glasses,			
	: To extinguish the fire masks, etc.) to wear. : The work should be w	vorn (gloves, aterial, safely	protective equipment (gloves, glasses, glasses) protective equipment. If large retract the human. To ensure			

Serial No. GWIS1500004E

Serial No. GWIS1500004E					
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the or a secure location.				
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	 Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark. 				
7. HANDLING AND STORAGE					
HANDLING:					
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.				
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.				
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.				
STORAGE:					
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.				
SAFETY PAKAGING MATERIAL	: Follow a product use container.				
8. EXPOSURE CONTROLS/PERSONAL PRO	TECTION				
PERMISSION VALUE:					
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.				
ACGIH	: Not authorized.				
CONTROL VALUE	: Not authorized.				
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.				
PROTECTIVE EQUIPMENT:					
RESPIRATORY PROTECTION	: In normal handling is not required.				
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.				
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses $\)$				
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.				
APPROPRIATE HYGIENE MEASURES	: No information.				
9. PHYSICAL AND CHEMICAL PROPERTIES					
PHYSICAL STATE	; Solid				
COLOR	: Light yellow				
ODOR	: Slightly characteristic odor				
MELTING POINT/SOLIDIFING POINT	:31°C (Melting point) 29°C (Solidifying point)				
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.				
FLAMMABILITY	: No data.				
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.				
FLASH POINT	: 265°C (Cleveland open-cup method)				
AUTO-IGNITION TEMPERATURE	: No data.				
DECOMPOSITION TEMPERATURE	: No data.				
	: About 5 (25°C, 1% Aq. Soln.)				
	: No data.				
SOLUBILITY: WATER SOLUBILITY SOLUBILITY: SOLVENT SOLUBILITY	: Soluble : Dissolve in ethanol.				

Serial No. GWIS1500004E

PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: No data.
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified.
	(VAPOR) No information. Classification not possible.
	(DUST, MIST)
	No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.
	 This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial.

13. DISPOSAL CONSIDERATIONS

Serial No. GWIS1500004E

				: See the ch	apter "Precau	tions for Hand	dling and storage"			
					Entrusted to specialized industrial waste disposal company has received the permission of the prefectural governor. If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of by incineration. When disposing of empty containers and dispose after complete remova of the contents. If possible, it is desirable to recycle empty containers / packaging.					
4. TRANS	PORT INF	ORMATION	1							
UN NU	JMBER			: Not applica	able.					
PROP	ER SHIPPIN	IG NAME		: Not applica	Not applicable.					
CLAS	S			: Not applica						
PACK	ING GROUF	þ		: Not applica						
MARIN		ANT		: Not applica						
IBC C	ODE and Al	ΝΝΕΧ ΙΙ ΜΑ	RPOL73/78	: Not applica						
SPECI		TIONS of TF		: See: ″Acci	dental Release		treatment when l			
				Make sure To ensure	that there is n the prevention nce with applic	o damage or l of collapse o	dling and storage" leakage of the cor f the luggage. regulations, do pa	itainer.		
EMERGENCY FIRST AID GUIDELINE NUMBER			DELINE	: Not applica	able.					
INTER	NATIONAL	REGULATIO	ONS	: Comply wit	h the rules of	IATA air trans	sport and IMDG se	a transport.		
LOCAL REGULATIONS			 Land transportation: According to the method of transportation has be established Fire Service Act, the Occupational Safety and Health Act, etc Maritime transport: According to the method of transportation is specified in the Ship Safety Law. Air transport: According to the method of transportation have been established in the Aviation Law. 							
5. REGUL	ATORY IN	FORMATIC	N							
(THE S		TANCES CO CHEMICAL,	ONTROL LAW MONITOR	: Not applicat	ble.					
		: Not applicable.								
REGIST	RATION INF	ORMATION								
No.	ENCS (Japan)	TSCA (USA)	EINECS (EU)	AICS (Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)		
1	7–137	Listed	Polymer	Listed	Non	Non	Non	Listed		
6.OTHER IN	VFORMATIC	ON:								
ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED		: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211								
			: (81)3-3312-7207							
			: trade@nihon-emulsion.co.jp : (81)3-3314-3211							
		NTAGT		: (01/3-3314-	-9711					
REFERENCE				7050 0010	. ,					
			Standards JIS Z Data Sheet (SDS		lazard commun	lication of che	micals based on (aHS		

Serial No. GWIS1500004E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.