Serial No. HC400006E

PRODUCT NAME

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: EMALEX HC-40

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji–Minami Suginami–Ku Tokyo 166–0003 Japan : (81)3–3314–3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	[:] For use other than recommended purposes, please consult a professional.
SERIAL No.	: HC400006E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Classification not possible
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. HC400006E

LONG-TERM (CHRONIC) HAZARDOUS 1 ENVIRONMENT	TO THE AQUATIC	: Class	ification not possible	
HAZARDS TO THE OZONE LAYER		: Class	ification not possible	
LABEL ELEMENTS:				
PICTORIAL REPRESENTATIONS	: Not applicable			
SIGNAL WORD	: Not applicable			
HAZARD STATEMENTS	: Not applicable			
PRECAUTIONARY STATEMENTS				
	(P301+P312) IF ON SKIN: Wash w IF IN EYES: Rinse ca	ll a POISON C ith plenty wat uutiously with	ENTER/ doctor/ If you feel unwell. er. (P302+P352) water for several minutes. Remove	
	(P305+P351+P338)	esent and eas	y to do. Continue rinsing.	
STORAG	E : Store in a closed co	ntainer. (P404	4)	
DISPOSA	L : Dispose of contents			
PRECAUTIONS FOR US			and districts/cities and towns.(P50 t.	
3. COMPOSITION / INFORMATION ON INGR	EDIENTS			
SUBSTANCE/MIXTURE	:Substance			
INGREDIENTS AND CONTENTS				
No. COMPONENT		Wt%	CAS	
1 Polyoxyethylene Hydrogenated Cast	tor Oil	100	61788-85-0	
4. FIRST-AID MEASURES				
IF INHALED	: Remove to fresh air	and keep com	nfortable for breathing.	
IF ON SKIN	: Wash with plenty wa		C C	
IF IN EYES	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
IF SWALLOWED	: Call a POISON CEN	TER doctor. If	you feel unwell.	
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber gloves should be worn protective equipment, sealed goggles.			
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.			
5. FIRE-FIGHTING MEASURES				
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam	chemical, Car	bon dioxide, sand, Spray water.	
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.			
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion g Extinguish the fire c		a toxic gas such as carbon monoxide nhale the smoke.	
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent a fire from upwind. No watering the surrour measures should be to rivers or sewage.	appropriate. A n-official is to Iding facilities taken as cher Appropriate n	on, extinguish a fire using the fire s much as possible to do extinguish be saved in a secure location. Coo . Drainage for fire-fighting, appropria micals and substance does not flow neasures should be taken as chemic to rivers or sewage in drainage for fi	
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fir masks, etc.) to wear		protective equipment (gloves, glass	
6. ACCIDENTAL RELEASE MEASURES				
		()	glasses) protective equipment If lev	
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES	: The work should be amounts of spilled m ventilation as neede	aterial, safely	retract the human. To ensure	

Serial No. HC400006E

Serial No. HC400006E	Revised May 27, 2024
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the or a secure location.
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.
7. HANDLING AND STORAGE	
HANDLING:	
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.
STORAGE:	
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.
SAFETY PAKAGING MATERIAL	: Follow a product use container.
8. EXPOSURE CONTROLS/PERSONAL PRO	DTECTION
PERMISSION VALUE:	
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.
ACGIH	: Not authorized.
CONTROL VALUE	: Not authorized.
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.
PROTECTIVE EQUIPMENT:	
RESPIRATORY PROTECTION	: In normal handling is not required.
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses)
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.
APPROPRIATE HYGIENE MEASURES	: No information.
9. PHYSICAL AND CHEMICAL PROPERTIES	S.
PHYSICAL STATE	: Liquid, petrolatum-like substance or wax
COLOR	: White to pale yellow
ODOR	: Slightly characteristic odor
MELTING POINT/SOLIDIFING POINT	:No data.
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.
FLAMMABILITY	: No data.
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.
FLASH POINT	: 284°C (Cleveland open-cup method)
AUTO-IGNITION TEMPERATURE	: No data.
DECOMPOSITION TEMPERATURE	: No data.
	: About 6 (25°C, 1% Aq. Soln.)
KINEMATIC VISCOSITY SOLUBILITY: WATER SOLUBILITY	: No data. : Insoluble
SOLUBILITY: SOLVENT SOLUBILITY	: Dissolve in ethanol.

Serial No. HC400006E

	: No data.
N-OCTANOL/WATER VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: No data.
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified.
	(VAPOR) No information. Classification not possible.
	(DUST, MIST)
	No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.
	: This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial.

13. DISPOSAL CONSIDERATIONS

Serial No. HC400006E

				: See the chapter "Precautions for Handling and storage".				
				Entrusted to specialized industrial waste disposal company has recei the permission of the prefectural governor. If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of incineration. When disposing of empty containers and dispose after complete reme of the contents. If possible, it is desirable to recycle empty containers / packaging.				
4. TRANSP			N					
UN NUN				: Not applica	ble.			
			: Not applica					
CLASS			: Not applica					
			: Not applica					
MARINE POLLUTANT			: Not applica					
IBC CODE and ANNEX II MARPOL73/78			: Not applica : Not applica					
SPECIFIC CONDITIONS of TRANSPORT and					Measures of t	reatment when l	eakage″	
SAFETY MEASURES			See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container. To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do packaging, displa and transportation.					
	EMERGENCY FIRST AID GUIDELINE NUMBER			: Not applicable.				
INTERN	IATIONAL	REGULATIO	ONS	: Comply wit	h the rules of	IATA air transı	port and IMDG se	a transport.
LOCAL REGULATIONS			established etc Maritime tra specified in Air transpo	Fire Service / ansport: Accor the Ship Safe	Act, the Occup ding to the me ty Law. o the method	nethod of transpo pational Safety ar othod of transport of transportation	id Health Act, tation is	
5. REGULA	TORY IN	FORMATIC	DN					
CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)			: Not applicable.					
		: Not applicable.						
REGISTRA	ATION INF	ORMATION	:					
	ENCS (Japan)	TSCA (USA)	EINECS (EU)	AICS (Australia)	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)
	8-603	Listed	Polymer	Listed	Listed	KE-05137	Listed	Listed
1	FORMATIC	DN:						
6.OTHER INF REFEREN MANUF ADDRE DEPAR DEPAR PHONE FAX NU E-MAIL	ICE: ACTURER SS TMENT IN	'S NAME CHARGE IAT PREPA RS	RED	: SALES DEP. : R&D DEPA : (81)3-3314- : (81)3-3312-	nji-Minami Sug ARTMENT RTMENT 3211 7207 -emulsion.co.jr	inami−Ku Toky	∕o 166−0003 Japa	an
1 6.OTHER INF REFEREN ADDRE DEPAR DEPAR PHONE FAX NU E-MAIL	ice: SS Tment In Tment Th S Numbef JMBERS . Address	'S NAME CHARGE IAT PREPA RS	RED	: 5-32-7 Koer : SALES DEP. : R&D DEPAI : (81)3-3314- : (81)3-3312- : trade@nihon	nji-Minami Sug ARTMENT RTMENT 3211 7207 -emulsion.co.jr	inami−Ku Toky	/o 166-0003 Japa	an

Serial No. HC400006E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.