Serial No. HC500008E

PRODUCT NAME

SAFETY DATA SHEET

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

: EMALEX HC-50

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	[:] For use other than recommended purposes, please consult a professional.
SERIAL No.	: HC500008E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Classification not possible
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. HC500008E

LONG-TERM (CHRONIC) HAZARDOUS T ENVIRONMENT	TO THE AQUATIC	: Classi	ification not possible
HAZARDS TO THE OZONE LAYER		: Classi	ification not possible
LABEL ELEMENTS: PICTORIAL REPRESENTATIONS SIGNAL WORD	: Not applicable : Not applicable		
HAZARD STATEMENTS	: Not applicable		
PRECAUTIONARY STATEMENTS			
	(P301+P312) IF ON SKIN: Wash w IF IN EYES: Rinse ca	l a POISON C th plenty wate utiously with v	ENTER/ doctor/ If you feel unwell.
STORAG	E : Store in a closed co	ntainer. (P404	()
DISPOSA PRECAUTIONS FOR US	·	//metropolis a	nd districts/cities and towns. (P501)
			-
3. COMPOSITION / INFORMATION ON INGR SUBSTANCE/MIXTURE	EDIENTS :Substance		
INGREDIENTS AND CONTENTS №. COMPONENT		Wt%	CAS
1 Polyoxyethylene Hydrogenated Cast	tor Oil	100	61788-85-0
4. FIRST-AID MEASURES			
	: Remove to fresh air		fortable for breatning.
IF ON SKIN IF IN EYES	: Wash with plenty wa : Rinse cautiously with if present and easy t	n water for se	veral minutes. Remove contact lenses, e rinsing.
IF SWALLOWED	: Call a POISON CEN		
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glo sealed goggles.	ves should be	worn protective equipment, such as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.		
5. FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam	chemical, Carl	bon dioxide, sand, Spray water.
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.		
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion g Extinguish the fire c		toxic gas such as carbon monoxide. hale the smoke.
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent a fire from upwind. No watering the surrour measures should be to rivers or sewage.	appropriate. As n-official is to Iding facilities. taken as chen Appropriate m	n, extinguish a fire using the fire s much as possible to do extinguish the be saved in a secure location. Cool by Drainage for fire-fighting, appropriate nicals and substance does not flow our neasures should be taken as chemicals o rivers or sewage in drainage for fire
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fir masks, etc.) to wear		protective equipment (gloves, glasses,
6. ACCIDENTAL RELEASE MEASURES			
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES		aterial, safely	glasses) protective equipment. If large retract the human. To ensure
ENVIRONMENTAL PRECAUTIONS	: Do not wash away ir	to rivers and	direct sewage spilled material.

Serial No. HC500008E

Serial No. HC500008E			
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the c a secure location.		
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately an prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be carefu Do not walk over the spilled material. Use the safe tool which does not generate a spark.		
7. HANDLING AND STORAGE			
HANDLING:			
RECOMMENDED HANDLING	: Heat, melt and uniform before use. Keep away from overheating.		
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.		
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.		
STORAGE:			
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.		
SAFETY PAKAGING MATERIAL	: Follow a product use container.		
8. EXPOSURE CONTROLS/PERSONAL PRO	DTECTION		
PERMISSION VALUE:			
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.		
ACGIH	: Not authorized.		
CONTROL VALUE	: Not authorized.		
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.		
PROTECTIVE EQUIPMENT:			
RESPIRATORY PROTECTION	: In normal handling is not required.		
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.		
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses $\)$		
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.		
APPROPRIATE HYGIENE MEASURES	: No information.		
9. PHYSICAL AND CHEMICAL PROPERTIES	х.		
PHYSICAL STATE	: Liquid, petrolatum-like substance or wax		
COLOR	: White to pale yellow		
ODOR	: Slightly characteristic odor		
MELTING POINT/SOLIDIFING POINT	: 27°C (Solidifying point)		
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.		
FLAMMABILITY	: No data.		
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.		
FLASH POINT	: 267°C (Cleveland open-cup method)		
AUTO-IGNITION TEMPERATURE	: No data.		
DECOMPOSITION TEMPERATURE	: No data.		
	: About 6 (25°C, 1% Aq. Soln.)		
	: No data.		
SOLUBILITY: WATER SOLUBILITY SOLUBILITY: SOLVENT SOLUBILITY	: Insoluble : Dissolve in ethanol.		

Serial No. HC500008E

PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: No data.
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS)
	Not classified.
	(VAPOR) No information. Classification not possible.
	(DUST, MIST)
	No information. Classification not possible.
SKIN CORROSION/IRRITATION	: No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
GERMCELL MUTAGENICITY	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
NTP	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
REPRODUCTIVE TOXICITY	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.
	 This product is not considered PBT/VPvB and EDCs. This product is not nanomaterial.

13. DISPOSAL CONSIDERATIONS

Serial No. HC500008E

Entrusted to specialized industrial waste disposal of the permission of the prefectural governor. If the combustion process is performed, during com carbon monoxide occurs because, in small portions incineration. When disposing of empty containers and dispose af of the contents. If possible, it is desirable to recycle empty container	nbustion, such as s to be disposed of by
	ers / packaging.
14. TRANSPORT INFORMATION	
UN NUMBER : Not applicable.	
PROPER SHIPPING NAME : Not applicable.	
CLASS : Not applicable.	
PACKING GROUP : Not applicable.	
MARINE POLLUTANT : Not applicable.	
IBC CODE and ANNEX II MARPOL73/78 : Not applicable.	
SPECIFIC CONDITIONS of TRANSPORT and : See: "Accidental Release Measures of treatment w SAFETY MEASURES	vhen leakage″.
See the chapter "Precautions for Handling and sto Make sure that there is no damage or leakage of th To ensure the prevention of collapse of the luggage In accordance with applicable laws and regulations, and transportation.	he container. e.
EMERGENCY FIRST AID GUIDELINE : Not applicable. NUMBER	
INTERNATIONAL REGULATIONS : Comply with the rules of IATA air transport and IM	DG sea transport.
LOCAL REGULATIONS : Land transportation: According to the method of transportation: According to the method of transport. Maritime transport: According to the method of transport specified in the Ship Safety Law. Air transport: According to the method of transport established in the Aviation Law.	fety and Health Act, Insportation is
15. REGULATORY INFORMATION	
CHEMICAL SUBSTANCES CONTROL LAW : Not applicable. (THE SPECIFIED CHEMICAL, MONITOR CHEMICALS)	
POISONOUS AND DELETERIOUS : Not applicable. SUBSTANCES CONTROL LAW	
REGISTRATION INFORMATION:	
No. ENCS TSCA EINECS AICS DSL ECL PICCS (Japan) (USA) (EU) (Australia) (Canada) (Korea) (Philippin	IECSC nes) (China)
1 8-603 Listed Polymer Listed Listed KE-05137 Listed	Listed
6.OTHER INFORMATION:	
REFERENCE:	
MANUFACTURER'S NAME : NIHON EMULSION CO., LTD. ADDRESS : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-000	3 Japan
DEPARTMENT IN CHARGE: SALES DEPARTMENTDEPARTMENT THAT PREPARED: R&D DEPARTMENTPHONES NUMBERS: (81)3-3314-3211	
DEPARTMENT IN CHARGE: SALES DEPARTMENTDEPARTMENT THAT PREPARED: R&D DEPARTMENT	
DEPARTMENT IN CHARGE: SALES DEPARTMENTDEPARTMENT THAT PREPARED: R&D DEPARTMENTPHONES NUMBERS: (81)3-3314-3211FAX NUMBERS: (81)3-3312-7207E-MAIL ADDRESS: trade@nihon-emulsion.co.jp	
DEPARTMENT IN CHARGE: SALES DEPARTMENTDEPARTMENT THAT PREPARED: R&D DEPARTMENTPHONES NUMBERS: (81)3-3314-3211FAX NUMBERS: (81)3-3312-7207	
DEPARTMENT IN CHARGE: SALES DEPARTMENTDEPARTMENT THAT PREPARED: R&D DEPARTMENTPHONES NUMBERS: (81)3-3314-3211FAX NUMBERS: (81)3-3312-7207E-MAIL ADDRESS: trade@nihon-emulsion.co.jp	

Serial No. HC500008E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.