Serial No. INTD1390008E

NIHON EMULSION CO., LTD. P 1/5 Issued Jun 01, 2010 Revised Aug 14, 2024

# SAFETY DATA SHEET

#### 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : EMALEX INTD-139

COMPANY NAME, ADDRESS, PHONE NUMBER

: NIHON EMULSION CO., LTD.

: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan

: (81)3-3314-3211

FAX NUMBER : (81)3-3312-7207

E-MAIL ADDRESS : trade@nihon-emulsion.co.jp

RECOMMENDED USE OF PRODUCT : Cosmetic material

LIMITATION : For use other than recommended purposes, please consult a

professional.

SERIAL No. : INTD1390008E

#### 2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

PHYSICAL HAZARDS: : Not classified, or Classification not possible

**HEALTH HAZARDS:** 

ACUTE TOXICITY (Oral) : Classification not possible ACUTE TOXICITY (Dermal) : Classification not possible ACUTE TOXICITY (Inhalation, Gas) : Classification not possible ACUTE TOXICITY (Inhalation, Vapour) : Classification not possible ACUTE TOXICITY (Inhalation, Dust. Mist) : Classification not possible SKIN CORROSION/IRRITATION : Classification not possible SERIOUS EYE DAMAGE/EYE IRRITATION : Classification not possible RESPIRATORY SENSITIZATION : Classification not possible SKIN SENSITIZATIONS : Classification not possible GERM CELL MUTAGENICITY : Classification not possible CARCINOGENICITY : Classification not possible REPRODUCTIVE TOXICITY : Classification not possible SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE : Classification not possible SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE : Classification not possible **ASPIRATION HAZARD** : Classification not possible

ENVIRONMENTAL HAZARDS:

SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC : Classification not possible

ENVIRONMENT

LONG-TERM (CHRONIC) HAZARDOUS TO THE AQUATIC : Classification not possible

ENVIRONMENT

HAZARDS TO THE OZONE LAYER : Classification not possible

LABEL ELEMENTS:

PICTORIAL REPRESENTATIONS : Not applicable SIGNAL WORD : Not applicable HAZARD STATEMENTS : Not applicable

PRECAUTIONARY STATEMENTS

PREVENTION: Wash thoroughly after handling. (P264)

RESPONSE: IF SWALLOWED: Call a POISON CENTER/ doctor/ If you feel unwell.

(P301+P312)

IF ON SKIN: Wash with plenty water. (P302+P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

STORAGE: Store in a closed container. (P404)

DISPOSAL: Dispose of contents/container according to the rule of

# EMALEX INTD-139

Serial No. INTD1390008E NIHON EMULSION CO., LTD. P 2/5 Issued Jun 01, 2010 Revised Aug 14, 2024

international/country/metropolis and districts/cities and towns. (P501)

PRECAUTIONS FOR USE: Please refer to Safety Data Sheet.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE

:Substance

INGREDIENTS AND CONTENTS

No. COMPONENT Wt% 1 Isotridecyl Isononanoate 100

42131-27-1 59231-37-7

CAS

## 4. FIRST-AID MEASURES

IF INHALED : Move a victim in the place of fresh air, Rest in a position comfortable for

breathing.

IF ON SKIN : Wash it with a large quantity of water. When skin stimulation occurs.

receive a diagnosis / allowance of the doctor.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

Contact a doctor promptly. Immediately call a POISON CENTER or doctor

IF SWALLOWED

: When you feel sick, receive a diagnosis / allowance of the doctor.

: Rescuers rubber gloves should be worn protective equipment, such as

PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES

sealed goggles. : No information.

THE SPECIAL INSTRUCTIONS FOR THE DOCTOR

#### 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

UNSUITABLE EXTINGUISHING MEDIA

SPECIFIC FIRE-FIGHTING HAZARDS

: Dry chemical, Foam chemical, Carbon dioxide, sand.

: Because poisonous gases such as carbon monoxide are included in combustion gases, in the case of the fire extinguishing work, I avoid

inhalation with smoke.

SPECIFIC METHODS OF FIRE-FIGHTING

: ATo their sources of origin of a fire burning, extinguish a fire using the fire extinguishing agent appropriate. To extinguish the fire from upwind to do as much as possible. Stakeholders other than evacuate to a safe location. Equipment, etc., cool by watering the surrounding.

PROTECTIVE FOR FIRE-FIGHTERS

: To extinguish the fire appropriate protective equipment (gloves, glasses, masks, etc.) to wear.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE

**EQUIPMENT AND EMERGENCY** 

**PROCEDURES** 

: Work, protective equipment (gloves, glasses, masks, etc.) be sure to wear. Wear other protective equipment as necessary. If a large amount of in a safe place to shelter people. To ensure ventilation as needed. Keep away from ignition sources such as heat / spark / open fire / high temperature

**ENVIRONMENTAL PRECAUTIONS** 

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

ones. No smoking. : Do not wash away into rivers and direct sewage spilled material.

: If a large amount of taken what was leaked, drum, etc. to recover. A small amount of residue after recovery to be absorbed into the soil or sawdust, etc.. Well wipe cloth, rag, etc. the rest. Note location for slippery spills. If a small amount of, after the removal of adsorbed (such as sand, earth, sawdust, rags), well wipe cloth, rag, etc. the rest of the adsorbent.

PREVENTIVE MEASURES FOR SECONDARY ACCIDENT

: Prepare a fire extinguishing agent as soon as possible with except near sources of ignition.

#### 7. HANDLING AND STORAGE

HANDLING:

RECOMMENDED HANDLING

: By a storage condition, the whole or part may solidify. At that time, heat, melt and uniform before use. Keep away from overheating.

TECHINICAL MEASURES

PRECAUTION FOR SAFE HANDLING

: Close to the handling area, set up facilities for eyewash and body wash.

: Keep away from ignition sources such as heat / spark / open fire / high

temperature ones. No smoking.

Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. Prevent direct contact. After handling, wash hands and face, and then gargle.

NIHON EMULSION CO., LTD. P 3/5

Issued Jun 01, 2010 Revised Aug 14, 2024

Serial No. INTD1390008E

STORAGE:

CONDITIONS FOR SAFE

STORAGE

: Keep container in a well-ventilated place. Indoors it is desirable from the viewpoint of quality assurance. Keep away from ignition sources such as

heat / spark / open fire / high temperature ones. No smoking.

SAFETY PAKAGING MATERIAL : Follow a product use container.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERMISSION VALUE:

JAPAN SOCIETY FOR : Not authorized.

OCCUPATIONAL HEALTH

ACGIH : Not authorized.
CONTROL VALUE : Not authorized.

ENGINEERING MEASURES : If fume or mist occurs, installing a local exhaust ventilation or vapor.

Close to the handling area, set up facilities for eyewash and body wash.

PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION : In normal handling is not required.
HAND PROTECTION : Protective gloves impervious.

EYES/FACE PROTECTION : Protection glasses with the side plate.

SKIN/BODY PROTECTION : Long-sleeved work clothes.

APPROPRIATE HYGIENE MEASURES : No information.

## 9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE : Liquid COLOR : Colorless

ODOR : Slightly characteristic odor

MELTING POINT/SOLIDIFING POINT : No data.

BOILING POINT OR INITIAL BOILING : No data.

POINT AND BOILING RANGE

FLAMMABILITY : No data.

LOWER AND UPPER EXPLOSION : No data.

LIMIT/FLAMMABILITY LIMIT

FLASH POINT : 188°C (Cleveland open-cup method)

AUTO-IGNITION TEMPERATURE : No data.

DECOMPOSITION TEMPERATURE : No data.

pH : No data.

KINEMATIC VISCOSITY : No data.

SOLUBILITY: WATER SOLUBILITY : Insoluble

SOLUBILITY: SOLVENT SOLUBILITY : Dissolve in ethanol.

PARTITION COEFFICIENT

N-OCTANOL/WATER

: No data.

VAPOUR PRESSURE : No data.

DENSITY AND/OR RELATIVE DENSITY : 0.86(25/25°C)

RELATIVE VAPOUR DENSITY : No data.

PARTICLE CHARACTERISTICS : No data.

OTHER DATA : No data.

## 10. STABILITY AND REACTIVITY

REACTIVITY : No information.

CHEMICAL STABILITY : Stable under normal conditions of use.

POSSIBILITY OF HAZARDOUS REACTIONS : No information.

CONDITIONS TO AVOID : High temperature.

INCOMPATIBLE MATERIALS : No information.

HAZARDOUS DECOMPOSITION PRODUCTS : No information.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** 

NIHON EMULSION CO., LTD. P 4/5

Issued Jun 01, 2010 Revised Aug 14, 2024

INTD1390008E Serial No.

> **ORAL** : No information. Classification not possible. SKIN : No information. Classification not possible.

INHALATION (GAS)

Not classified. (VAPOR)

No information. Classification not possible.

(DUST, MIST)

No information. Classification not possible.

: No information. Classification not possible.

SKIN CORROSION/IRRITATION : No information. Classification not possible.

SERIOUS EYE DAMAGE/EYE IRRITATION : No information. Classification not possible. RESPIRATORY OR SKIN SENSITIZATION

: No information, Classification not possible. GERMCELL MUTAGENICITY : No information, Classification not possible.

CARCINOGENICITY Data showed a clear action initiation is not.

**IARC** : Unauthorized. NTP : Unauthorized. NIHON SANGYO HYGIENE SOCIETY · Unauthorized

REPRODUCTIVE TOXICITY : No information, Classification not possible. : No information. Classification not possible.

SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY,

REPEATED EXPOSURE

ASPIRATION HAZARD : No information. Classification not possible.

12. ECOLOGICAL INFORMATION

**ECOTOXICITY** : No information. PERSISTENCE AND DEGRADABILITY : No information. **BIOACCUMULATIVE POTENTIAL** : No information. MOBILITY IN SOIL No information.

HAZARD TO THE OZONE LAYER : No information. OTHER DATA · No information

13. DISPOSAL CONSIDERATIONS

: See the chapter "Precautions for Handling and storage".

Entrusted to specialized industrial waste disposal company has received the permission of the prefectural governor.

If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of by incineration.

When disposing of empty containers and dispose after complete removal of the contents.

Incineration is done with care because contain flammable substances. If possible, it is desirable to recycle empty containers / packaging.

14. TRANSPORT INFORMATION

**UN NUMBER** : Not applicable. PROPER SHIPPING NAME : Not applicable. **CLASS** : Not applicable. PACKING GROUP : Not applicable. MARINE POLLUTANT : Not applicable.

IBC CODE and ANNEX II MARPOL73/78

SAFETY MEASURES

SPECIFIC CONDITIONS of TRANSPORT and : See: "Accidental Release Measures of treatment when leakage".

See the chapter "Precautions for Handling and storage".

Make sure that there is no damage or leakage of the container. To ensure the prevention of collapse of the luggage.

In accordance with applicable laws and regulations, do packaging, display

and transportation.

: Not applicable.

NIHON EMULSION CO., LTD. P 5/5 Issued Jun 01, 2010

Revised Aug 14, 2024

Serial No. INTD1390008E

EMERGENCY FIRST AID GUIDELINE

NUMBER

INTERNATIONAL REGULATIONS

LOCAL REGULATIONS

: 171

: Comply with the rules of IATA air transport and IMDG sea transport.

: Land transportation: According to the method of transportation has been established Fire Service Act, the Occupational Safety and Health Act,

etc..

Maritime transport: According to the method of transportation is

specified in the Ship Safety Law.

Air transport: According to the method of transportation have been

established in the Aviation Law.

## 15. REGULATORY INFORMATION

CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR

CHEMICALS)

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW

: Not applicable.

: Not applicable.

#### REGISTRATION INFORMATION:

No.	ENCS	TSCA	EINECS	AICS	DSL	ECL	PICCS	IECSC
	(Japan)	(USA)	(EU)	(Australia)	(Canada)	(Korea)	(Philippines)	(China)
1	2-2488	Unlisted Listed	255-673-5 261-675-7	Listed Listed	Listed Listed	Unlisted KE-34562	Unlisted Unlisted	Listed Unlisted

#### 16.OTHER INFORMATION:

REFERENCE:

MANUFACTURER'S NAME : NIHON EMULSION CO., LTD.

ADDRESS : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan

DEPARTMENT IN CHARGE : SALES DEPARTMENT
DEPARTMENT THAT PREPARED : R&D DEPARTMENT
PHONES NUMBERS : (81)3-3314-3211
FAX NUMBERS : (81)3-3312-7207

E-MAIL ADDRESS : trade@nihon-emulsion.co.jp

EMERGENCY CONTACT : (81)3-3314-3211

## REFERENCE

- Japanese Industrial Standards JIS Z 7253: 2019 Hazard communication of chemicals based on GHS Labelling and Safety Data Sheet (SDS)
- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry Association RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc.
   Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252: 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.