Serial No. LG16000009E NIHON EMULSION CO., LTD. P 1/6 Issued Feb 03, 2011 Revised Apr 23, 2024

# SAFETY DATA SHEET

### 1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME : AMITER LG-1600

COMPANY NAME, ADDRESS, PHONE NUMBER

: NIHON EMULSION CO., LTD.

: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan

: (81)3-3314-3211

**FAX NUMBER** : (81)3-3312-7207

E-MAIL ADDRESS : trade@nihon-emulsion.co.jp

RECOMMENDED USE OF PRODUCT : Cosmetic material

LIMITATION : For use other than recommended purposes, please consult a

professional.

SERIAL No. : LG16000009E

#### 2.HAZARDS IDENTIFICATION

### GHS CLASSIFICATION OF THE SUBSTANCE:

#### PHYSICAL HAZARDS:

**EXPLOSIVES** : Not classified FLAMMABLE GASES : Not classified **AEROSOLS** : Not classified **OXIDIZING GASES** : Not classified **GASES UNDER PRESSURE** : Not classified FLAMMABLE LIQUIDS : Not classified FLAMMABLE SOLIDS : Not classified SELF-REACTIVE SUBSTANCES AND MIXTURES : Not classified PYROPHORIC LIQUIDS : Not classified PYROPHORIC SOLIDS : Not classified SELF-HEATING SUBSTANCES AND MIXTURES : Not classified SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH : Not classified

WATER, EMIT FLAMMABLE GASES

**OXIDIZING LIQUIDS** : Not classified **OXIDIZING SOLIDS** : Not classified ORGANIC PEROXIDES : Not classified

CORROSIVE TO METALS : Classification not possible

**DESENSITIZED EXPLOSIVES** : Not classified

## **HEALTH HAZARDS:**

ACUTE TOXICITY (Oral) : Not classified

ACUTE TOXICITY (Dermal) : Classification not possible

ACUTE TOXICITY (Inhalation, Gas) : Not classified

ACUTE TOXICITY (Inhalation, Vapour) : Classification not possible ACUTE TOXICITY (Inhalation, Dust. Mist) : Classification not possible

SKIN CORROSION/IRRITATION : Not classified SERIOUS EYE DAMAGE/EYE IRRITATION · Not classified

RESPIRATORY SENSITIZATION : Classification not possible SKIN SENSITIZATIONS : Classification not possible GERM CELL MUTAGENICITY : Classification not possible CARCINOGENICITY : Classification not possible REPRODUCTIVE TOXICITY : Classification not possible SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE : Classification not possible SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE : Classification not possible ASPIRATION HAZARD : Classification not possible

### **ENVIRONMENTAL HAZARDS:**

SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC : Category 1

**ENVIRONMENT** 

# AMITER LG-1600

Serial No. LG16000009E NIHON EMULSION CO., LTD. P 2/6 Issued Feb 03, 2011 Revised Apr 23, 2024

LONG-TERM (CHRONIC) HAZARDOUS TO THE AQUATIC : Category 1

**ENVIRONMENT** 

HAZARDS TO THE OZONE LAYER : Classification not possible

LABEL ELEMENTS:

PICTORIAL REPRESENTATIONS

SIGNAL WORD

HAZARD STATEMENTS : Very toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS

PREVENTION: Avoid release to the environment. (P273)

RESPONSE: IF SWALLOWED: Call a POISON CENTER/ doctor/ If you feel unwell.

(P301+P312)

IF ON SKIN: Wash with plenty water. (P302+P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338) Collect spillage. (P391)

STORAGE: Store in a closed container. (P404)

DISPOSAL: Dispose of contents/container according to the rule of

international/country/metropolis and districts/cities and towns. (P501)

PRECAUTIONS FOR USE: Please refer to Safety Data Sheet.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE ·Substance

INGREDIENTS AND CONTENTS

Wt% CAS No. COMPONENT

100 1 Di (2-Hexyldecyl) N-Lauroyl-L-Glutamate 172944-28-4

## 4. FIRST-AID MEASURES

IF INHALED : Remove to fresh air and keep comfortable for breathing.

IF ON SKIN : Wash with plenty water.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

: Call a POISON CENTER doctor. If you feel unwell. IF SWALLOWED

PROTECTION OF THE PERSON MAKING

THE EMERGENCY MEASURES

THE SPECIAL INSTRUCTIONS FOR THE

**DOCTOR** 

: Rescuers rubber gloves should be worn protective equipment, such as

sealed goggles.

: No information.

## 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA : Dry chemical, Foam chemical, Carbon dioxide, sand, Spray water.

UNSUITABLE EXTINGUISHING MEDIA · Rod-like water

SPECIFIC FIRE-FIGHTING HAZARDS : To the combustion gas, contains a toxic gas such as carbon monoxide.

Extinguish the fire careful not to inhale the smoke.

SPECIFIC METHODS OF FIRE-FIGHTING : Eliminate the source of combustion, extinguish a fire using the fire

extinguishing agent appropriate. As much as possible to do extinguish the fire from upwind. Non-official is to be saved in a secure location. Cool by watering the surrounding facilities. Drainage for fire-fighting, appropriate measures should be taken as chemicals and substance does not flow out to rivers or sewage. Appropriate measures should be taken as chemicals and substance does not flow out to rivers or sewage in drainage for fire

fighting.

PROTECTIVE FOR FIRE-FIGHTERS : To extinguish the fire appropriate protective equipment (gloves, glasses,

masks. etc.) to wear.

#### 6. ACCIDENTAL RELEASE MEASURES

# AMITER LG-1600

Serial No. LG16000009E NIHON EMULSION CO., LTD. P 3/6 Issued Feb 03, 2011

Revised Apr 23, 2024

PERSONAL PRECAUTIONS, PROTECTIVE

**EQUIPMENT AND EMERGENCY** 

**PROCEDURES** 

: The work should be worn (gloves, glasses) protective equipment. If large amounts of spilled material, safely retract the human. To ensure

ventilation as needed.

**ENVIRONMENTAL PRECAUTIONS** 

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP : Avoid release to the environment.

: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the or

a secure location.

PREVENTIVE MEASURES FOR

SECONDARY ACCIDENT

: Remove a thing becoming the nearby ignition sources immediately and

prepare for extinguishant.

When wet on floor is allowed to stand in a state, slippery so be careful.

Do not walk over the spilled material.

Use the safe tool which does not generate a spark.

### 7. HANDLING AND STORAGE

HANDLING:

RECOMMENDED HANDLING : By a storage condition, the whole or part may solidify. At that time, heat,

melt and uniform before use. Keep away from overheating.

TECHINICAL MEASURES : Close to the handling area, set up facilities for eyewash and body wash.

PRECAUTION FOR SAFE HANDLING : Flammable - Keep Fire Away

> Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash

hands and face, and then gargle.

STORAGE:

CONDITIONS FOR SAFE

STORAGE

: In well-ventilated indoors tightly closed container. Away from flame.

SAFETY PAKAGING MATERIAL : Follow a product use container.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERMISSION VALUE:

JAPAN SOCIETY FOR OCCUPATIONAL HEALTH : Not authorized.

**ACGIH** 

: Not authorized. : Not authorized.

**CONTROL VALUE ENGINEERING MEASURES** 

: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash.

Equipment is explosion-proof construction, To implement measures

against static electricity.

PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION

: In normal handling is not required.

HAND PROTECTION

: Impermeable (chemical resistance, oil resistance, solvent resistance)

protective gloves.

**EYES/FACE PROTECTION** 

: Protection glasses with the side plate. (Need full protective glasses or

goggles type safety glasses )

SKIN/BODY PROTECTION

: Long-sleeved work clothes antistatic.

APPROPRIATE HYGIENE MEASURES

: No information.

### 9. PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE

: Liquid or petrolatum-like substance

COLOR

: Light yellow

ODOR

: Slightly characteristic odor :-30~0°C (Melting point)

MELTING POINT/SOLIDIFING POINT **BOILING POINT OR INITIAL BOILING** 

POINT AND BOILING RANGE

: 409°C

FLAMMABILITY

LOWER AND UPPER EXPLOSION

: No data. : No data.

LIMIT/FLAMMABILITY LIMIT FLASH POINT

: 224°C (Cleveland open-cup method)

**AUTO-IGNITION TEMPERATURE DECOMPOSITION TEMPERATURE** 

: No data. : No data.

# AMITER LG-1600

Serial No. LG16000009E NIHON EMULSION CO., LTD. P 4/6 Issued Feb 03, 2011

Revised Apr 23, 2024

: No data. Hg KINEMATIC VISCOSITY : No data. SOLUBILITY: WATER SOLUBILITY : No data. SOLUBILITY: SOLVENT SOLUBILITY : No data.

**PARTITION COEFFICIENT** N-OCTANOL/WATER **VAPOUR PRESSURE** 

 $\begin{array}{ll} : 20^{\circ}\text{C} & 2.9 \times 10^{\circ}(-4) \text{ (p/Pa)} \\ 25^{\circ}\text{C} & 5.0 \times 10^{\circ}(-4) \text{ (p/Pa)} \\ 50^{\circ}\text{C} & 6.3 \times 10^{\circ}(-3) \text{ (p/Pa)} \end{array}$ 

: log Pow>4.7

DENSITY AND/OR RELATIVE DENSITY : 0.9(30/20°C) RELATIVE VAPOUR DENSITY : No data. PARTICLE CHARACTERISTICS : No data. OTHER DATA : No data.

10. STABILITY AND REACTIVITY

REACTIVITY : Reactivity is low.

CHEMICAL STABILITY : Conditions are stable at normal handling.

POSSIBILITY OF HAZARDOUS REACTIONS : No information. CONDITIONS TO AVOID : No information. INCOMPATIBLE MATERIALS : No information. HAZARDOUS DECOMPOSITION PRODUCTS: No information.

11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** 

: Rat, Oral toxicity(OECD TG 423) LD50 > 2000mg/kg **ORAL** 

SKIN : No information. Classification not possible.

INHALATION (GAS)

> Not classified (VAPOR)

No information. Classification not possible.

(DUST, MIST)

No information. Classification not possible.

SKIN CORROSION/IRRITATION : Rabbit, Skin irraitaion(OECD TG 404) Mean value Erythema formation :

0.8 Oedema formation: 0.3 Not classified.

: No information. Classification not possible.

: No information. Classification not possible.

: No information. Classification not possible.

SERIOUS EYE DAMAGE/EYE IRRITATION : Rabbit, Eye irritation(OECD TG 405) Mean value Iritis: 0.0 Conjunctival

oedema: 0.2 Not classified.

RESPIRATORY OR SKIN SENSITIZATION Guinea pigs, Skin sensitization(OECD TG 406) Dermal induction:50%,

Challenge: 25% Not classified.

GERMCELL MUTAGENICITY : Negative. (Test AMES)

CARCINOGENICITY No information. Classification not possible.

**IARC** : Unauthorized. NTP : Unauthorized. NIHON SANGYO HYGIENE SOCIETY : Unauthorized.

REPRODUCTIVE TOXICITY

SINGLE EXPOSURE

SPECIFIC TARGET ORGAN TOXICITY,

SPECIFIC TARGET ORGAN TOXICITY,

REPEATED EXPOSURE

ASPIRATION HAZARD : No information. Classification not possible.

12. ECOLOGICAL INFORMATION

**ECOTOXICITY** : SHORT-TERM (ACUTE): Crustacean (Daphnia magna) 48 hours EC50 =

0.119mg/L, so it was classified as Category 1. LONG-TERM (CHRONIC): NOEC = 0.0306mg/L. Since it is not

degradable, it was classified as Category 1.

: The biodegradation of AMITER LG-1600 was found to be 57 % after 28 PERSISTENCE AND DEGRADABILITY

days. not readily biodegradable. (OECD 301F)

**BIOACCUMULATIVE POTENTIAL** : No information.

NIHON EMULSION CO., LTD. P 5/6

Issued Feb 03, 2011 Revised Apr 23, 2024

Serial No. LG16000009E

> MOBILITY IN SOIL : No information. HAZARD TO THE OZONE LAYER : No information. OTHER DATA : No information.

13. DISPOSAL CONSIDERATIONS

: See the chapter "Precautions for Handling and storage".

Entrusted to specialized industrial waste disposal company has received

the permission of the prefectural governor.

If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of by

incineration

When disposing of empty containers and dispose after complete removal

of the contents.

If possible, it is desirable to recycle empty containers / packaging.

14. TRANSPORT INFORMATION

**UN NUMBER** : UN3082

PROPER SHIPPING NAME Environmentally Hazardous Substance, Liquid, n.o.s.

**CLASS** Class9 PACKING GROUP

MARINE POLLUTANT : Marine pollutant. IBC CODE and ANNEX II MARPOL73/78 : Not applicable.

SPECIFIC CONDITIONS of TRANSPORT and : See: "Accidental Release Measures of treatment when leakage".

SAFETY MEASURES

See the chapter "Precautions for Handling and storage"

Make sure that there is no damage or leakage of the container.

To ensure the prevention of collapse of the luggage.

In accordance with applicable laws and regulations, do packaging, display

and transportation.

EMERGENCY FIRST AID GUIDELINE

NUMBER

: 171

INTERNATIONAL REGULATIONS

LOCAL REGULATIONS

: Comply with the rules of IATA air transport and IMDG sea transport.

Land transportation: According to the method of transportation has been established Fire Service Act, the Occupational Safety and Health Act,

Maritime transport: According to the method of transportation is

specified in the Ship Safety Law.

Air transport: According to the method of transportation have been

established in the Aviation Law.

15. REGULATORY INFORMATION

CHEMICAL SUBSTANCES CONTROL LAW (THE SPECIFIED CHEMICAL, MONITOR

: Not applicable.

POISONOUS AND DELETERIOUS

SUBSTANCES CONTROL LAW

: Not applicable.

REGISTRATION INFORMATION:

**IECSC** No. **ENCS TSCA EINECS AICS** DSL FCL **PICCS** (Japan) (USA) (EU) (Australia) (Canada) (Korea) (Philippines) (China) 1 9-1956 Non Non Non Non Non Non Non

16.OTHER INFORMATION:

REFERENCE:

MANUFACTURER'S NAME : NIHON EMULSION CO., LTD.

**ADDRESS** : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan

DEPARTMENT IN CHARGE : SALES DEPARTMENT DEPARTMENT THAT PREPARED : R&D DEPARTMENT PHONES NUMBERS : (81)3-3314-3211 **FAX NUMBERS** : (81)3-3312-7207 E-MAIL ADDRESS : trade@nihon-emulsion.co.jp

**EMERGENCY CONTACT** : (81)3-3314-3211 LG16000009E

NIHON EMULSION CO., LTD. P 6/6 Issued Feb 03, 2011

Revised Apr 23, 2024

### REFERENCE

Serial No.

 Japanese Industrial Standards JIS Z 7253: 2019 Hazard communication of chemicals based on GHS — Labelling and Safety Data Sheet (SDS)

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry Association RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc.
  Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252: 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.