Serial No. RWIS110EX0003E

SAFETY DATA SHEET

: EMALEX RWIS-110EX

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

COMPANY NAME, ADDRESS, PHONE NUMBER

| | : NIHON EMULSION CO., LTD. |
|----------------------------|--|
| | : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan |
| | : (81)3-3314-3211 |
| FAX NUMBER | : (81)3-3312-7207 |
| E-MAIL ADDRESS | : trade@nihon-emulsion.co.jp |
| RECOMMENDED USE OF PRODUCT | : Cosmetic material and Surfactant |
| LIMITATION | [:] For use other than recommended purposes, please consult a professional. |
| SERIAL No. | : RWIS110EX0003E |

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

| PHYSICAL HAZARDS: | |
|---|-------------------------------|
| EXPLOSIVES | : Not classified |
| FLAMMABLE GASES | : Not classified |
| AEROSOLS | : Not classified |
| OXIDIZING GASES | : Not classified |
| GASES UNDER PRESSURE | : Not classified |
| FLAMMABLE LIQUIDS | : Not classified |
| FLAMMABLE SOLIDS | : Not classified |
| SELF-REACTIVE SUBSTANCES AND MIXTURES | : Not classified |
| PYROPHORIC LIQUIDS | : Not classified |
| PYROPHORIC SOLIDS | : Not classified |
| SELF-HEATING SUBSTANCES AND MIXTURES | : Not classified |
| SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH | : Not classified |
| WATER, EMIT FLAMMABLE GASES | |
| OXIDIZING LIQUIDS | : Not classified |
| OXIDIZING SOLIDS | : Not classified |
| ORGANIC PEROXIDES | : Not classified |
| CORROSIVE TO METALS | : Classification not possible |
| DESENSITIZED EXPLOSIVES | : Not classified |
| HEALTH HAZARDS: | |
| ACUTE TOXICITY (Oral) | : Classification not possible |
| ACUTE TOXICITY (Dermal) | : Classification not possible |
| ACUTE TOXICITY (Inhalation, Gas) | : Not classified |
| ACUTE TOXICITY (Inhalation, Vapour) | : Classification not possible |
| ACUTE TOXICITY (Inhalation, Dust, Mist) | : Classification not possible |
| SKIN CORROSION/IRRITATION | : Classification not possible |
| SERIOUS EYE DAMAGE/EYE IRRITATION | : Classification not possible |
| RESPIRATORY SENSITIZATION | : Classification not possible |
| SKIN SENSITIZATIONS | : Classification not possible |
| GERM CELL MUTAGENICITY | : Classification not possible |
| CARCINOGENICITY | : Classification not possible |
| REPRODUCTIVE TOXICITY | : Classification not possible |
| SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE | : Classification not possible |
| SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE | : Classification not possible |
| ASPIRATION HAZARD | : Classification not possible |
| ENVIRONMENTAL HAZARDS: | |
| SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT | : Classification not possible |

Serial No. RWIS110EX0003E

| LONG-TERM (CHRONIC) HAZARDOUS | TO THE AQUATIC | : Class | ification not possible | | |
|---|--|--|---|--|--|
| HAZARDS TO THE OZONE LAYER | | : Class | ification not possible | | |
| LABEL ELEMENTS: | | | | | |
| PICTORIAL REPRESENTATIONS | : Not applicable | | | | |
| SIGNAL WORD | : Not applicable | | | | |
| HAZARD STATEMENTS | : Not applicable | | | | |
| PRECAUTIONARY STATEMENTS | | | | | |
| | (P301+P312) IF ON SKIN: Wash wi IF IN EYES: Rinse ca | l a POISON (th plenty wat utiously with | ENTER/ doctor/ If you feel unwell | | |
| STORAG | E : Store in a closed cor | ntainer. (P40 | 4) | | |
| DISPOSA PRECAUTIONS FOR US | - | /metropolis a | and districts/cities and towns. (P5 | | |
| | | | | | |
| 3. COMPOSITION / INFORMATION ON INGR | | | | | |
| SUBSTANCE/MIXTURE INGREDIENTS AND CONTENTS №. COMPONENT | :Substance | Wt% | CAS | | |
| 1 Polyoxyethylene Hydrogenated Cas | tor Oil Monoisostearate | 100 | 308063-79-8 | | |
| 4. FIRST-AID MEASURES | | | | | |
| IF INHALED | : Remove to fresh air | and keep con | nfortable for breathing. | | |
| IF ON SKIN | : Wash with plenty wa | | nortable for broating. | | |
| IF IN EYES | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | | | | |
| IF SWALLOWED | : Call a POISON CEN | | | | |
| PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES | : Rescuers rubber glov sealed goggles. | ves should be | worn protective equipment, such a | | |
| THE SPECIAL INSTRUCTIONS FOR THE DOCTOR | : No information. | | | | |
| 5. FIRE-FIGHTING MEASURES | | | | | |
| SUITABLE EXTINGUISHING MEDIA | : Dry chemical. Foam | chemical. Car | bon dioxide, sand, Spray water. | | |
| UNSUITABLE EXTINGUISHING MEDIA | : Rod-like water. | ., | | | |
| SPECIFIC FIRE-FIGHTING HAZARDS | : To the combustion g Extinguish the fire ca | | a toxic gas such as carbon monoxic nhale the smoke. | | |
| SPECIFIC METHODS OF FIRE-FIGHTING | extinguishing agent a fire from upwind. Nor watering the surroun measures should be to rivers or sewage. | appropriate. A n-official is to ding facilities taken as che Appropriate r | on, extinguish a fire using the fire s much as possible to do extinguisl b be saved in a secure location. Co . Drainage for fire-fighting, appropr micals and substance does not flow neasures should be taken as chemi to rivers or sewage in drainage for | | |
| PROTECTIVE FOR FIRE-FIGHTERS | : To extinguish the fir masks, etc.) to wear | | protective equipment (gloves, glass | | |
| 6. ACCIDENTAL RELEASE MEASURES | | | | | |
| PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES | | aterial, safely | glasses) protective equipment. If la retract the human. To ensure | | |
| | | | | | |

Serial No. RWIS110EX0003E

| Serial No. RWIS110EX0003E | | | | | |
|---|---|--|--|--|--|
| METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP | : If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the c a secure location. | | | | |
| PREVENTIVE MEASURES FOR SECONDARY ACCIDENT | Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark. | | | | |
| 7. HANDLING AND STORAGE | | | | | |
| HANDLING: | | | | | |
| RECOMMENDED HANDLING | : By a storage condition, the whole or part may solidify. At that time, heat, melt and uniform before use. Keep away from overheating. | | | | |
| TECHINICAL MEASURES | : Close to the handling area, set up facilities for eyewash and body wash. | | | | |
| PRECAUTION FOR SAFE HANDLING | : Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle. | | | | |
| STORAGE: | | | | | |
| CONDITIONS FOR SAFE STORAGE | : In well-ventilated indoors tightly closed container. Away from flame. | | | | |
| SAFETY PAKAGING MATERIAL | : Follow a product use container. | | | | |
| 8. EXPOSURE CONTROLS/PERSONAL PRO | DTECTION | | | | |
| PERMISSION VALUE: | | | | | |
| JAPAN SOCIETY FOR OCCUPATIONAL HEALTH | : Not authorized. | | | | |
| ACGIH | : Not authorized. | | | | |
| CONTROL VALUE | : Not authorized. | | | | |
| ENGINEERING MEASURES | : If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity. | | | | |
| PROTECTIVE EQUIPMENT: | | | | | |
| RESPIRATORY PROTECTION | : In normal handling is not required. | | | | |
| HAND PROTECTION | : Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves. | | | | |
| EYES/FACE PROTECTION | : Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses) | | | | |
| SKIN/BODY PROTECTION | : Long-sleeved work clothes antistatic. | | | | |
| APPROPRIATE HYGIENE MEASURES | : No information. | | | | |
| 9. PHYSICAL AND CHEMICAL PROPERTIES | S: | | | | |
| PHYSICAL STATE | : Liquid | | | | |
| COLOR | : Light vellow | | | | |
| ODOR | : Slightly characteristic odor | | | | |
| MELTING POINT/SOLIDIFING POINT | :No data. | | | | |
| BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE | : No data. | | | | |
| FLAMMABILITY | : No data. | | | | |
| LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT | : No data. | | | | |
| FLASH POINT | : 271°C(Cleveland open-cup method) | | | | |
| AUTO-IGNITION TEMPERATURE | : No data. | | | | |
| DECOMPOSITION TEMPERATURE | : No data. | | | | |
| Hq | : No data. | | | | |
| KINEMATIC VISCOSITY | : No data. | | | | |
| SOLUBILITY: WATER SOLUBILITY | : Insoluble | | | | |

Serial No. RWIS110EX0003E

| SOLUBILITY: SOLVENT SOLUBILITY | : No data. |
|--|---|
| PARTITION COEFFICIENT N-OCTANOL/WATER | : No data. |
| VAPOUR PRESSURE | : No data. |
| DENSITY AND/OR RELATIVE DENSITY | : 0.97(30/20°C) |
| RELATIVE VAPOUR DENSITY | : No data. |
| PARTICLE CHARACTERISTICS OTHER DATA | : No data. : No data. |
| | . NO GALA. |
| 10. STABILITY AND REACTIVITY | |
| REACTIVITY | : Reactivity is low. |
| CHEMICAL STABILITY | : Conditions are stable at normal handling. |
| POSSIBILITY OF HAZARDOUS REACTIONS | : No information. |
| CONDITIONS TO AVOID | : No information. |
| INCOMPATIBLE MATERIALS | : No information. |
| HAZARDOUS DECOMPOSITION PRODUCTS | 3 : No information. |
| 11. TOXICOLOGICAL INFORMATION | |
| ACUTE TOXICITY | |
| ORAL | : No information. Classification not possible. |
| SKIN | : No information. Classification not possible. |
| INHALATION | : (GAS) Not classified. (VAPOR) No information. Classification not possible. (DUST, MIST) |
| | No information. Classification not possible. |
| SKIN CORROSION/IRRITATION | : No information. Classification not possible. |
| SERIOUS EYE DAMAGE/EYE IRRITATION | : No information. Classification not possible. |
| RESPIRATORY OR SKIN SENSITIZATION | : No information. Classification not possible. |
| GERMCELL MUTAGENICITY | : No information. Classification not possible. |
| CARCINOGENICITY | : No information. Classification not possible. |
| IARC | : Unauthorized. |
| NTP | : Unauthorized. |
| NIHON SANGYO HYGIENE SOCIETY | : Unauthorized. |
| REPRODUCTIVE TOXICITY | : No information. Classification not possible. |
| SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE | : No information. Classification not possible. |
| SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE | : No information. Classification not possible. |
| ASPIRATION HAZARD | : No information. Classification not possible. |
| 2. ECOLOGICAL INFORMATION | |
| ECOTOXICITY | : No information. |
| PERSISTENCE AND DEGRADABILITY | : No information. |
| BIOACCUMULATIVE POTENTIAL | : No information. |
| MOBILITY IN SOIL | : No information. |
| | : No information. |
| HAZARD TO THE OZONE LAYER | . No information. |

13. DISPOSAL CONSIDERATIONS

Serial No. RWIS110EX0003E

| | | | | | : See the chapter "Precautions for Handling and storage". | | | | |
|--|----------------------------------|-------------------|--|--|---|--------------------------------|---|------------------|--|
| | | | | Entrusted to specialized industrial waste disposal company has received the permission of the prefectural governor. If the combustion process is performed, during combustion, such as carbon monoxide occurs because, in small portions to be disposed of incineration. When disposing of empty containers and dispose after complete rer of the contents. If possible, it is desirable to recycle empty containers / packaging. | | | | | |
| 4. TRANSI | PORT INF | ORMATIO | N | | | | | | |
| UN NL | JMBER | | | : Not applica | ble. | | | | |
| PROP | ER SHIPPIN | IG NAME | | : Not applica | | | | | |
| CLASS | s | | | : Not applica | | | | | |
| PACKI | ING GROUF | 0 | | : Not applica | | | | | |
| | | | | : Not applica | | | | | |
| | | | ARPOL73/78 | : Not applica | | | | | |
| | | | | | | Measures of | treatment when le | eakage″. | |
| SAFET | TY MEASUF | ES. | | Make sure t To ensure t | that there is n the prevention ice with applic | o damage or l of collapse o | lling and storage" eakage of the cor f the luggage. regulations, do pa | itainer. | |
| | GENCY FIR | ST AID GUI | DELINE | : Not applica | ble. | | | | |
| INTER | NATIONAL | REGULATIO | ONS | : Comply wit | h the rules of | IATA air trans | sport and IMDG se | a transport. | |
| LOCAL REGULATIONS | | | | Land transportation: According to the method of transportation has bee established Fire Service Act, the Occupational Safety and Health Act, etc Maritime transport: According to the method of transportation is specified in the Ship Safety Law. Air transport: According to the method of transportation have been established in the Aviation Law. | | | | | |
| 5. REGUL | ATORY IN | FORMATIC | ON | | | | | | |
| (THE S | ICAL SUBS SPECIFIED ICALS) | | ONTROL LAW MONITOR | : Not applicab | le. | | | | |
| POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW | | : Not applicable. | | | | | | | |
| REGISTF | RATION INF | ORMATION | : | | | | | | |
| No. | ENCS (Japan) | TSCA (USA) | EINECS (EU) | AICS (Australia) | DSL (Canada) | ECL (Korea) | PICCS (Philippines) | IECSC (China) | |
| 1 | 7-1444 | Non | Polymer | Non | Non | Non | Non | Non | |
| 6.OTHER IN | VFORMATIC | DN: | | | | | | | |
| REFERENCE: MANUFACTURER'S NAME ADDRESS DEPARTMENT IN CHARGE DEPARTMENT THAT PREPARED PHONES NUMBERS FAX NUMBERS E-MAIL ADDRESS EMERGENCY CONTACT | | | : NIHON EMULSION CO., LTD. : 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan : SALES DEPARTMENT : R&D DEPARTMENT : (81)3-3314-3211 : (81)3-3312-7207 : trade@nihon-emulsion.co.jp : (81)3-3314-3211 | | | | | | |
| E-MAI | | NTACT | | : (81)3-3314- | 3211 | | | | |
| E-MAI | GENCY CO | NTACT | | : (81)3-3314- | 3211 | | | | |

Serial No. RWIS110EX0003E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.