Serial No. RWIS120EX0004E

SAFETY DATA SHEET

: EMALEX RWIS-120EX

1.CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

COMPANY NAME, ADDRESS, PHONE NUMBER

	: NIHON EMULSION CO., LTD.
	: 5-32-7 Koenji-Minami Suginami-Ku Tokyo 166-0003 Japan
	: (81)3-3314-3211
FAX NUMBER	: (81)3-3312-7207
E-MAIL ADDRESS	: trade@nihon-emulsion.co.jp
RECOMMENDED USE OF PRODUCT	: Cosmetic material and Surfactant
LIMITATION	For use other than recommended purposes, please consult a professional.
SERIAL No.	: RWIS120EX0004E

2.HAZARDS IDENTIFICATION

GHS CLASSIFICATION OF THE SUBSTANCE:

ding deads in the substance.	
PHYSICAL HAZARDS:	
EXPLOSIVES	: Not classified
FLAMMABLE GASES	: Not classified
AEROSOLS	: Not classified
OXIDIZING GASES	: Not classified
GASES UNDER PRESSURE	: Not classified
FLAMMABLE LIQUIDS	: Not classified
FLAMMABLE SOLIDS	: Not classified
SELF-REACTIVE SUBSTANCES AND MIXTURES	: Not classified
PYROPHORIC LIQUIDS	: Not classified
PYROPHORIC SOLIDS	: Not classified
SELF-HEATING SUBSTANCES AND MIXTURES	: Not classified
SUBSTANCES AND MIXTURES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES	: Not classified
OXIDIZING LIQUIDS	: Not classified
OXIDIZING SOLIDS	: Not classified
ORGANIC PEROXIDES	: Not classified
CORROSIVE TO METALS	: Classification not possible
DESENSITIZED EXPLOSIVES	: Not classified
HEALTH HAZARDS:	
ACUTE TOXICITY (Oral)	: Classification not possible
ACUTE TOXICITY (Dermal)	: Classification not possible
ACUTE TOXICITY (Inhalation, Gas)	: Not classified
ACUTE TOXICITY (Inhalation, Vapour)	: Classification not possible
ACUTE TOXICITY (Inhalation, Dust, Mist)	: Classification not possible
SKIN CORROSION/IRRITATION	: Classification not possible
SERIOUS EYE DAMAGE/EYE IRRITATION	: Classification not possible
RESPIRATORY SENSITIZATION	: Classification not possible
SKIN SENSITIZATIONS	: Classification not possible
GERM CELL MUTAGENICITY	: Classification not possible
CARCINOGENICITY	: Classification not possible
REPRODUCTIVE TOXICITY	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY SINGLE EXPOSURE	: Classification not possible
SPECIFIC TARGET ORGAN TOXICITY REPEATED EXPOSURE	: Classification not possible
ASPIRATION HAZARD	: Classification not possible
ENVIRONMENTAL HAZARDS:	
SHORT-TERM (ACUTE) HAZARDOUS TO THE AQUATIC ENVIRONMENT	: Classification not possible

Serial No. RWIS120EX0004E

LONG-TERM (CHRONIC) HAZARDOUS	TO THE AQUATIC	: Class	ification not possible	
HAZARDS TO THE OZONE LAYER		: Class	ification not possible	
LABEL ELEMENTS:				
PICTORIAL REPRESENTATIONS	: Not applicable			
SIGNAL WORD HAZARD STATEMENTS	: Not applicable : Not applicable			
PRECAUTIONARY STATEMENTS				
	NI . W/ I- + I		7964)	
	(P301+P312) IF ON SKIN: Wash w IF IN EYES: Rinse ca	l a POISON (ith plenty wat utiously with	CENTER/ doctor/ If you feel unv	
STORAG	E : Store in a closed co	ntainer. (P40	4)	
DISPOSA PRECAUTIONS FOR US		//metropolis a	and districts/cities and towns.(P501)
3. COMPOSITION / INFORMATION ON INGR			L	
SUBSTANCE/MIXTURE	:Substance			
INGREDIENTS AND CONTENTS		Wt%	CAS	
1 Polyoxyethylene Hydrogenated Cas	tor Oil Monoisostearate	100	308063-79-8	
		100	300003 73 0	
4. FIRST-AID MEASURES				
IF INHALED	: Remove to fresh air	and keep con	nfortable for breathing.	
IF ON SKIN	: Wash with plenty wa	ter.		
IF IN EYES	: Rinse cautiously with if present and easy t		everal minutes. Remove contact le rinsing.	lenses,
IF SWALLOWED	: Call a POISON CEN	TER doctor. If	you feel unwell.	
PROTECTION OF THE PERSON MAKING THE EMERGENCY MEASURES	: Rescuers rubber glo sealed goggles.	ves should be	worn protective equipment, suc	h as
THE SPECIAL INSTRUCTIONS FOR THE DOCTOR	: No information.			
5. FIRE-FIGHTING MEASURES				
SUITABLE EXTINGUISHING MEDIA	: Dry chemical, Foam	chemical, Car	bon dioxide, sand, Spray water.	
UNSUITABLE EXTINGUISHING MEDIA	: Rod-like water.			
SPECIFIC FIRE-FIGHTING HAZARDS	: To the combustion g Extinguish the fire ca		a toxic gas such as carbon mono nhale the smoke.	oxide.
SPECIFIC METHODS OF FIRE-FIGHTING	extinguishing agent a fire from upwind. No watering the surrour measures should be to rivers or sewage.	appropriate. A n-official is to iding facilities taken as che Appropriate r	on, extinguish a fire using the fire s much as possible to do exting b be saved in a secure location. . Drainage for fire-fighting, appro- micals and substance does not f neasures should be taken as che to rivers or sewage in drainage f	uish the Cool by opriate low out emicals
PROTECTIVE FOR FIRE-FIGHTERS	: To extinguish the fir masks, etc.) to wear		protective equipment (gloves, gl	asses,
6. ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY	amounts of spilled m	aterial, safely	glasses) protective equipment. I retract the human. To ensure	f large
PROCEDURES	ventilation as neede	a.		

Serial No. RWIS120EX0004E

Serial No. RWIS120EX0004E	
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	: If a small amount, after removing adsorbed in the adsorbent, well wipe cloth, a rag and the rest. Flush with large amounts of water. If large amounts. Surrounded by a berm to prevent runoff. Processing from the c a secure location.
PREVENTIVE MEASURES FOR SECONDARY ACCIDENT	: Remove a thing becoming the nearby ignition sources immediately and prepare for extinguishant. When wet on floor is allowed to stand in a state, slippery so be careful. Do not walk over the spilled material. Use the safe tool which does not generate a spark.
7. HANDLING AND STORAGE	
HANDLING:	
RECOMMENDED HANDLING	: By a storage condition, the whole or part may solidify. At that time, heat, melt and uniform before use. Keep away from overheating.
TECHINICAL MEASURES	: Close to the handling area, set up facilities for eyewash and body wash.
PRECAUTION FOR SAFE HANDLING	: Flammable – Keep Fire Away Adequate ventilation in the workplace do. Wear appropriate protective equipment protective glasses protective gloves. After handling, wash hands and face, and then gargle.
STORAGE:	
CONDITIONS FOR SAFE STORAGE	: In well-ventilated indoors tightly closed container. Away from flame.
SAFETY PAKAGING MATERIAL	: Follow a product use container.
8. EXPOSURE CONTROLS/PERSONAL PRO	OTECTION
PERMISSION VALUE:	
JAPAN SOCIETY FOR OCCUPATIONAL HEALTH	: Not authorized.
ACGIH	: Not authorized.
CONTROL VALUE	: Not authorized.
ENGINEERING MEASURES	: If vapor, fume or mist occurs, installing a local exhaust ventilation. Close to the handling area, set up facilities for eyewash and body wash. Equipment is explosion-proof construction, To implement measures against static electricity.
PROTECTIVE EQUIPMENT:	
RESPIRATORY PROTECTION	: In normal handling is not required.
HAND PROTECTION	: Impermeable (chemical resistance, oil resistance, solvent resistance) protective gloves.
EYES/FACE PROTECTION	: Protection glasses with the side plate. (Need full protective glasses or goggles type safety glasses $\)$
SKIN/BODY PROTECTION	: Long-sleeved work clothes antistatic.
APPROPRIATE HYGIENE MEASURES	: No information.
9. PHYSICAL AND CHEMICAL PROPERTIES	S:
PHYSICAL STATE	: Liquid
COLOR	: Light yellow
ODOR	: Slightly characteristic odor
MELTING POINT/SOLIDIFING POINT	: No data.
BOILING POINT OR INITIAL BOILING POINT AND BOILING RANGE	: No data.
FLAMMABILITY	: No data.
LOWER AND UPPER EXPLOSION LIMIT/FLAMMABILITY LIMIT	: No data.
FLASH POINT	: 263°C(Cleveland open-cup method)
AUTO-IGNITION TEMPERATURE	: No data.
DECOMPOSITION TEMPERATURE	: No data.
рН	: About 5 (25°C, 1% Aq. Soln.)
KINEMATIC VISCOSITY	: No data.
SOLUBILITY: WATER SOLUBILITY	: Insoluble

Serial No. RWIS120EX0004E

SOLUBILITY: SOLVENT SOLUBILITY	: No data.
PARTITION COEFFICIENT N-OCTANOL/WATER	: No data.
VAPOUR PRESSURE	: No data.
DENSITY AND/OR RELATIVE DENSITY	: 1.00(30/20°C)
RELATIVE VAPOUR DENSITY	: No data.
PARTICLE CHARACTERISTICS	: No data.
OTHER DATA	: No data.
0. STABILITY AND REACTIVITY	
REACTIVITY	: Reactivity is low.
CHEMICAL STABILITY	: Conditions are stable at normal handling.
POSSIBILITY OF HAZARDOUS REACTIONS	: No information.
CONDITIONS TO AVOID	: No information.
INCOMPATIBLE MATERIALS	: No information.
HAZARDOUS DECOMPOSITION PRODUCTS	: No information.
1. TOXICOLOGICAL INFORMATION	
ACUTE TOXICITY	
ORAL	: No information. Classification not possible.
SKIN	: No information. Classification not possible.
INHALATION	: (GAS) Not classified. (VAPOR) No information. Classification not possible. (DUST, MIST)
SKIN CORROSION/IRRITATION	No information. Classification not possible.
SERIOUS EYE DAMAGE/EYE IRRITATION	: No information. Classification not possible. : No information. Classification not possible.
RESPIRATORY OR SKIN SENSITIZATION	: No information. Classification not possible.
	: No information. Classification not possible.
CARCINOGENICITY	: No information. Classification not possible.
IARC	: Unauthorized.
	: Unauthorized.
NIHON SANGYO HYGIENE SOCIETY	: Unauthorized.
	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, SINGLE EXPOSURE	: No information. Classification not possible.
SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE	: No information. Classification not possible.
ASPIRATION HAZARD	: No information. Classification not possible.
2. ECOLOGICAL INFORMATION	
ECOTOXICITY	: No information.
PERSISTENCE AND DEGRADABILITY	: No information.
BIOACCUMULATIVE POTENTIAL	: No information.
MOBILITY IN SOIL	: No information.
HAZARD TO THE OZONE LAYER	: No information.
OTHER DATA	: No information.

13. DISPOSAL CONSIDERATIONS

Serial No. RWIS120EX0004E

				: See the chapter "Precautions for Handling and storage".						
				Entrusted to specialized industrial waste disposal company has the permission of the prefectural governor. If the combustion process is performed, during combustion, su carbon monoxide occurs because, in small portions to be dispo- incineration. When disposing of empty containers and dispose after complet of the contents. If possible, it is desirable to recycle empty containers / packag						
14. TRANSI	PORT INF	ORMATION	N							
UN NU	IMBER			: Not applica	ble.					
				: Not applica						
CLASS	3			: Not applica	Not applicable.					
PACKING GROUP				: Not applica	ble.					
MARINE POLLUTANT			: Not applica	ble.						
IBC CODE and ANNEX II MARPOL73/78			: Not applica	ble.						
	SPECIFIC CONDITIONS of TRANSPORT and SAFETY MEASURES			: See: "Accie	dental Release	Measures of	treatment when le	eakage″.		
			See the chapter "Precautions for Handling and storage". Make sure that there is no damage or leakage of the container. To ensure the prevention of collapse of the luggage. In accordance with applicable laws and regulations, do packaging, displa and transportation.							
EMERO NUMBI	GENCY FIRS	st aid gui	DELINE	: Not applica	ble.					
INTER	NATIONAL	REGULATI	SNC	: Comply wit	h the rules of	IATA air trans	port and IMDG se	a transport.		
LOCAL REGULATIONS			: Land transportation: According to the method of transportation has be established Fire Service Act, the Occupational Safety and Health Act, etc Maritime transport: According to the method of transportation is specified in the Ship Safety Law. Air transport: According to the method of transportation have been							
5. REGUL				established	in the Aviatio	n Law.				
CHEMI		TANCES CO	ONTROL LAW	: Not applicab	le.					
	ICALS)			N I						
DOIOO	POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW		: Not applicab	le.						
SUBST		ORMATION			DO!	501	DIGGG	15000		
SUBST REGISTR				AICS	DSL (Canada)	ECL (Korea)	PICCS (Philippines)	IECSC (China)		
SUBST REGISTR №.	ENCS (Japan)	TSCA (USA)	EINECS (EU)	(Australia)						
SUBST REGISTR	ENCS	TSCA		(Australia) Non	Non	Non	Non	Non		
SUBST REGISTR No. 1	ENCS (Japan) 7–1444	TSCA (USA) Non	(EU)							
SUBS⊺ REGISTR №.	ENCS (Japan) 7–1444 NFORMATIO	TSCA (USA) Non	(EU) Polymer	Non	Non	Non				
SUBST REGISTR No. 1 6.OTHER IN REFEREN MANUI	ENCS (Japan) 7–1444 NFORMATIC NCE: FACTURER	TSCA (USA) Non DN:	(EU) Polymer	Non	Non LSION CO., LT	Non	Non	Non		
SUBST REGISTR No. 1 6.OTHER IN REFEREN MANUI ADDRE	ENCS (Japan) 7–1444 NFORMATIO NCE: FACTURER ESS	TSCA (USA) Non DN: 'S NAME	(EU) Polymer	Non : NIHON EMU : 5-32-7 Koer	Non LSION CO., Lī ŋji-Minami Sug	Non		Non		
SUBST REGISTR No. 1 6.OTHER IN REFEREN MANUI ADDRE DEPAF	ENCS (Japan) 7–1444 NFORMATIO NCE: FACTURER ESS RTMENT IN	TSCA (USA) Non DN: 'S NAME CHARGE	(EU) Polymer	Non : NIHON EMU : 5-32-7 Koei : SALES DEP	Non LSION CO., LT nji-Minami Sug ARTMENT	Non	Non	Non		
SUBST REGISTR No. 1 6.OTHER IN REFEREN MANUI ADDRE DEPAF DEPAF	ENCS (Japan) 7–1444 NFORMATIO NCE: FACTURER ESS RTMENT IN RTMENT TH	TSCA (USA) Non DN: 'S NAME CHARGE IAT PREPA	(EU) Polymer	Non : NIHON EMU : 5-32-7 Koer : SALES DEP : R&D DEPA	Non LSION CO., LT nji-Minami Sug ARTMENT RTMENT	Non	Non	Non		
SUBST REGISTR №. 1 6.OTHER IN REFEREN MANUI ADDRE DEPAF DEPAF PHONE	ENCS (Japan) 7–1444 NFORMATIO NCE: FACTURER ESS RTMENT IN	TSCA (USA) Non DN: 'S NAME CHARGE IAT PREPA	(EU) Polymer	Non : NIHON EMU : 5-32-7 Koei : SALES DEP	Non LSION CO., LT nji-Minami Sug ARTMENT RTMENT 3211	Non	Non	Non		
SUBST REGISTR №. 1 6.OTHER IN REFEREN MANUI ADDRE DEPAF DEPAF PHONE FAX N	ENCS (Japan) 7–1444 NFORMATIO NCE: FACTURER ESS RTMENT IN RTMENT TH ES NUMBEF	TSCA (USA) Non DN: 'S NAME CHARGE IAT PREPAR	(EU) Polymer	Non : NIHON EMU : 5-32-7 Koeu : SALES DEP : R&D DEPA : (81)3-3314- : (81)3-3312-	Non LSION CO., LT nji-Minami Sug ARTMENT RTMENT 3211	Non TD. ;inami-Ku Tok	Non	Non		
SUBST REGISTR №. 1 6.OTHER IN REFEREN MANUI ADDRE DEPAF DEPAF PHONE FAX NI E-MAII	ENCS (Japan) 7–1444 NFORMATIO NCE: FACTURER ESS RTMENT IN RTMENT TH ES NUMBER UMBERS	TSCA (USA) Non DN: 'S NAME CHARGE HAT PREPA RS	(EU) Polymer	Non : NIHON EMU : 5-32-7 Koeu : SALES DEP : R&D DEPA : (81)3-3314- : (81)3-3312-	Non LSION CO., LT nji-Minami Sug ARTMENT RTMENT 3211 7207 -emulsion.co.jp	Non TD. ;inami-Ku Tok	Non	Non		
SUBST REGISTR №. 1 6.OTHER IN REFEREN MANUI ADDRE DEPAF DEPAF PHONE FAX NI E-MAII	ENCS (Japan) 7-1444 NFORMATIO NCE: FACTURER ESS RTMENT IN RTMENT TH ES NUMBER UMBERS L ADDRESS GENCY CON	TSCA (USA) Non DN: 'S NAME CHARGE HAT PREPA RS	(EU) Polymer	Non : NIHON EMU : 5-32-7 Koer : SALES DEP : R&D DEPA : (81)3-3314- : (81)3-3312- : trade@nihon	Non LSION CO., LT nji-Minami Sug ARTMENT RTMENT 3211 7207 -emulsion.co.jp	Non TD. ;inami-Ku Tok	Non	Non		

Serial No. RWIS120EX0004E

- International Chemical Safety Cards Japanese version
- Guidelines for creating product safety data sheets (Revised edition) Japan Chemical Industry
 Association•RESPONSIBLE CARE COUNCIL October 2001
- Japan Surfactant Industry Association MSDS Creation guidelines and Standard MSDS models of major products (Revised edition) November 2001
- · Japan Surfactant Industry Association SRA-GHS Classification judgment February 2006
- Japan Chemical Industry Association GHS compliance guidelines for creating product safety data sheets 2nd edition October 2008
- Mitsubishi Research Institute Ministry of Economy, Trade and Industry GHS classification etc. Infrastructure development project report March 2008
- Japanese Industrial Standards JIS Z 7252 : 2019 (Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)")
- Japan Surfactant Industry Association Guidance on the preparation of GHS MSDS of surfactant (2010 edition)

The information contained is based on the present state of best research. However evaluation with respect to data described and are not necessarily sufficient to guarantee safety. All materials may present unknown hazards and should be used in caution. It is the user's responsibility to determine the conditions necessary for the safe use of this product. In case of special use, carry out that appropriate safe handling for new method of use. Ingredients and contents, Physical and chemical properties, Hazard statements are shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This SDS is translated into English language in reference to the laws and regulations were made in Japan.